

Publikationsliste Til Aach

1 Books

References

- [1] S. Helling, J. Brauers, B. Hill, and T. Aach (Eds.), *FWS08: 14. Workshop Farbbildverarbeitung 2008*. Aachen: Shaker Verlag, 2008.
- [2] L. Kobbelt, T. Kuhlen, T. Aach, and R. Westermann (Eds.), *Vision, Modeling and Visualization 2006*. Berlin: Aka, 2006.
- [3] T. Aach, *Bayes-Methoden zur Bildsegmentierung, Änderungsdetektion und Verschiebungsvektorschätzung*. VDI Verlag, Düsseldorf: Fortschrittberichte VDI Reihe 10, Nr. 261, 1993, Dissertation, RWTH Aachen (**Borchers-Plakette, Friedrich-Wilhelm-Preis**).

2 Book Chapters

References

- [1] A. Behrens, L. Atorf, and T. Aach, “Teaching practical engineering for freshman students using the RWTH - Mindstorms NXT toolbox for MATLAB,” in *Matlab - Modelling, Programming and Simulations*, E. P. Leite, Ed. SCIYO, 2010, pp. 41–66.
- [2] C. S. Garbe, K. Krajsek, P. Pavlov, B. Andres, M. Mühlich, I. Stuke, C. Mota, M. Böhme, M. Haker, T. Schuchert, H. Scharr, T. Aach, E. Barth, R. Mester, and B. Jähne, “Nonlinear analysis of multi-dimensional signals: local adaptive estimation of complex motion and orientation patterns,” in *Mathematical methods in signal processing and digital image analysis*, ser. Understanding Complex Systems, R. Dahlhaus, J. Kurths, P. Maaß, and J. Timmer, Eds. Springer Verlag, 2008, pp. 231–288.
- [3] T. Aach, “Fourier, block and lapped transforms,” in *Advances in Imaging and Electron Physics*, P. W. Hawkes, Ed., vol. 128. San Diego: Academic Press, 2003, pp. 1–52.

3 Journals

References

- [1] A. Salomon, A. Goedicke, and T. Aach, “Attenuation corrected cardiac spect imaging using simultaneous reconstruction and a priori information,” *IEEE Transactions on Nuclear Science*, vol. XX, no. X, p. in press, 2011.

- [2] A. Salomon, A. Goedicke, B. Schweizer, T. Aach, and V. Schulz, "Simultaneous reconstruction of activity and attenuation for PET/MR," *IEEE Transactions on Medical Imaging*, vol. XX, no. X, p. in press, 2011.
- [3] N. C. Stache, J. Dieckelmann, J. Gedicke, A. Olowinsky, and T. Aach, "Image-based creation and positioning of welds for accelerated prototyping," *Journal of Laser Applications*, vol. 23, p. in press, 2011, invited paper.
- [4] J. Brauers and T. Aach, "Geometric calibration of lens and filter distortions for multispectral filter wheel cameras," *IEEE Transactions on Image Processing*, vol. 20, no. 2, pp. 496–505, 2011.
- [5] T. Würflinger, I. Gamper, A. Sechi, and T. Aach, "Automated segmentation and tracking for large-scale analysis of focal adhesion dynamics," *Journal of Microscopy*, vol. 241, no. 1, pp. 37–53, 2011.
- [6] A. Behrens, M. Guski, T. Stehle, S. Gross, and T. Aach, "A non-linear multi-scale blending algorithm for fluorescence bladder images," *Computer Science - Research and Development*, vol. 26, pp. 51–64, 2011, 10.1007/s00450-010-0144-y. [Online]. Available: <http://dx.doi.org/10.1007/s00450-010-0144-y>
- [7] A. Behrens, M. Bommers, T. Stehle, S. Gross, S. Leonhardt, and T. Aach, "Real-time image composition of bladder mosaics in fluorescence endoscopy," *Computer Science - Research and Development*, vol. 26, pp. 125–134, 2011, 10.1007/s00450-010-0135-z. [Online]. Available: <http://dx.doi.org/10.1007/s00450-010-0135-z>
- [8] I. Scholl, T. Aach, T. Deserno, and T. Kuhlen, "Challenges of medical image processing," *Computer Science - Research and Development*, vol. 26, pp. 5–13, 2011, 10.1007/s00450-010-0146-9. [Online]. Available: <http://www.springerlink.com/content/h2wl0g3566q68820/>
- [9] T. Schuchert, T. Aach, and H. Scharr, "Range flow in varying illumination: Algorithms and comparisons," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 32, no. 9, pp. 1646–1658, 2010.
- [10] Q. Sun, A. Groth, M. Bertram, I. Wächter, T. Bruijns, R. Hermans, and T. Aach, "Phantom-based experimental validation of computational fluid dynamics simulations on cerebral aneurysms," *Medical Physics*, vol. 37, no. 9, pp. 5054–5065, 2010.
- [11] A. Kölsch, R. Windoffer, T. Würflinger, T. Aach, and R. E. Leube, "The keratin filament cycle of assembly and disassembly," *Journal of Cell Science*, vol. 123, pp. 2266–2272, 2010.
- [12] A. Behrens, L. Atorf, R. Schwann, B. Neumann, R. Schnitzler, J. Ballé, T. Herold, A. Telle, T. G. Noll, K. Hameyer, and T. Aach, "Matlab meets LEGO Mindstorms - a freshman introduction course into practical engineering," *IEEE Transactions on Education*, vol. 53, no. 2, pp. 306–317, 2010.
- [13] H. Lategahn, S. Groß, T. Stehle, and T. Aach, "Texture classification by modeling joint distributions of local patterns with gaussian mixtures," *IEEE Transactions on Image Processing*, vol. 19, no. 6, pp. 1548–1557, 2010.
- [14] J. Tischendorf, S. Gross, R. Winograd, H. Hecker, R. Auer, A. Behrens, C. Trautwein, T. Aach, and T. Stehle, "Computer-aided classification of colorectal polyps based on vascular patterns: A pilot study," *Endoscopy*, vol. 42, no. 3, pp. 203–207, 2010.
- [15] T. Aach and H. Führ, "On bounds of shift variance in two-channel multirate filter banks," *IEEE Transactions on Signal Processing*, vol. 57, no. 11, pp. 4292–4303, 2009.

- [16] K. A. Nagel, B. Kastenholz, S. Jahnke, D. van Dusschoten, T. Aach, M. Mühlich, D. Truhn, H. Scharr, S. Terjung, A. Walter, and U. Schurr, "Temperature response of roots: Impact on growth, root system architecture and implications for phenotyping," *Functional Plant Biology*, vol. 36, no. Special Issue on Plant Phenomics, pp. 947–959, 2009.
- [17] M. Mühlich and T. Aach, "Analysis of multiple orientations," *IEEE Transactions on Image Processing*, vol. 18, no. 7, pp. 1424–1437, 2009.
- [18] T. Remmerbach, D. Meyer-Ebrecht, T. Aach, T. Würflinger, A. Bell, T. Schneider, N. Nietzke, B. Frerich, and A. Böcking, "Towards a multi modal cell analysis of brush biopsies for early detection of oral cancer," *Cancer Cytopathology*, vol. 2009, no. June, pp. 228–235, 2009.
- [19] M. Bertram, J. Wiegert, D. Schäfer, T. Aach, and G. Rose, "Directional view interpolation for compensation of sparse angular sampling in cone-beam CT," *IEEE Transactions on Medical Imaging*, vol. 28, no. 7, pp. 1011–1022, 2009.
- [20] A. A. Bell, J. Brauers, J. N. Kaftan, D. Meyer-Ebrecht, A. Böcking, and T. Aach, "High dynamic range microscopy for cytopathological cancer diagnosis," *IEEE Journal of Selected Topics in Signal Processing (Special Issue on: Digital Image Processing Techniques for Oncology)*, vol. 3, no. 1, pp. 170–184, 2009.
- [21] A. P. Condurache, T. Hahn, M. Scharfschwerdt, A. Mertins, and T. Aach, "Video-based measuring of quality parameters for tricuspid xenograft heart valves," *IEEE Transactions on Biomedical Engineering*, vol. 56, no. 12, pp. 2868–2878, 2009.
- [22] N. C. Stache, A. Stollenwerk, J. Gedicke, A. Olowinsky, A. Knepper, and T. Aach, "Automatic calibration of a scanner-based laser welding system," *Journal of Laser Applications*, vol. 21, no. 1, pp. 10–15, 2009, invited paper.
- [23] J. Brauers, S. Helling, and T. Aach, "Multispectral image acquisition with flash light sources," *Journal of Imaging Science and Technology*, vol. 53, no. 3, pp. 031 103–1 – 031 103–10, 2009.
- [24] J. Brauers, N. Schulte, and T. Aach, "Multispectral filter wheel cameras: Geometric distortion model and compensation algorithms," *IEEE Transactions on Image Processing*, vol. 17, no. 12, pp. 2368–2380, 2008.
- [25] T. Aach, "Comparative analysis of shift variance and cyclostationarity in multirate filterbanks," *IEEE Transactions on Circuits and Systems–I: Regular Papers*, vol. 54, no. 5, pp. 1077–1087, 2007.
- [26] T. Aach, C. Mota, I. Stuke, M. Mühlich, and E. Barth, "Analysis of superimposed oriented patterns," *IEEE Transactions on Image Processing*, vol. 15, no. 12, pp. 3690–3700, 2006.
- [27] A. Bell, T. Würflinger, S. Ropers, A. Böcking, T. Aach, and D. Meyer-Ebrecht, "Towards fully automatic acquisition of multimodal cytopathological microscopy images with autofocus and scene matching," *Methods of Information in Medicine*, vol. 46, pp. 314–323, 2007.
- [28] K. Chaisaowong, P. Jäger, S. Vogel, A. Knepper, T. Kraus, and T. Aach, "Computer-assisted diagnosis for early stage pleural mesothelioma," *Methods of Information in Medicine*, vol. 46, pp. 324–331, 2007.
- [29] C. Kier, K. Meyer-Wiethe, G. Seidel, and T. Aach, "Ultrasound cerebral perfusion analysis based on a mathematical model for diminution harmonic imaging," *Methods of Information in Medicine*, vol. 46, pp. 308–313, 2007.

- [30] H. Machens, S. Grzybowski, B. Bucsky, T. Spanholtz, C. Niedworok, A. Maichle, B. Stoeckelhuber, A. Condurache, F. Liu, J. T. Egana, M. Kaun, P. Mailaender, and T. Aach, "A technique to detect and quantify fasciocutaneous blood vessels in small laboratory animals ex vivo," *Journal of Surgical Research*, vol. 131, pp. 91–96, 2006.
- [31] T. Lehmann, T. Aach, and H. Witte, "Sensor, signal and image informatics: State of the art and current topics," *2006 IMIA Yearbook of Medical Informatics - Assessing Information Technologies for Health*, vol. 45 Suppl.1, pp. 57–67, 2006.
- [32] A. Kaup, K. Meisinger, and T. Aach, "Frequency selective signal extrapolation with applications to error concealment in image communication," *AEUE - International Journal of Electronics and Communications*, vol. 59, pp. 147–156, 2005.
- [33] C. Mota, I. Stuke, T. Aach, and E. Barth, "Spatial and spectral analysis of occluded motions," *Signal Processing: Image Communication*, vol. 20, pp. 529–536, 2005.
- [34] G. Seidel, K. Meyer, G. Berdien, D. Hollstein, D. Toth, and T. Aach, "Ultrasound perfusion imaging in acute middle cerebral artery infarction predicts stroke outcome," *Stroke*, vol. 35, pp. 1107–1111, 2004.
- [35] O. Schmitt, M. Pakura, T. Aach, L. Hömke, M. Böhme, S. Bock, and S. Preusse, "Analysis of nerve fibers and their distribution in histologic sections of the human brain," *Microscopy Research and Technique*, vol. 63, pp. 220–243, 2004.
- [36] I. Stuke, T. Aach, E. Barth, and C. Mota, "Multiple-motion-estimation by block matching using mrf," *ACIS International Journal of Computer and Information Science*, vol. 5, no. 2, pp. 141–152, 2004.
- [37] G. Seidel, K. Meyer, V. Metzler, D. Toth, M. Vida-Langwasser, and T. Aach, "Human cerebral perfusion analysis with ultrasound contrast agent constant infusion: A pilot study on healthy volunteers," *Ultrasound in Medicine and Biology*, vol. 28, no. 2, pp. 183–189, 2002.
- [38] T. Aach and D. Kunz, "A lapped directional transform for spectral image analysis and its application to restoration and enhancement," *Signal Processing*, vol. 80, no. 11, pp. 2347–2364, 2000.
- [39] T. Aach and G. Hauske, "Editorial: Special issue on digital signal processing in audiovisual communication," *Signal Processing*, vol. 80, no. 11, pp. 2261–2263, 2000.
- [40] M. Stahl, T. Aach, and S. Dippel, "Digital radiography enhancement by nonlinear multiscale processing," *Medical Physics*, vol. 27, no. 1, pp. 56–65, 2000.
- [41] T. Aach, U. Schiebel, and G. Spekowius, "Digital image acquisition and processing in medical x-ray imaging," *Journal of Electronic Imaging*, vol. 8, no. Special Section on Biomedical Image Representation, pp. 7–22, 1999.
- [42] T. Aach and D. Kunz, "Bayesian motion estimation for temporally recursive noise reduction in x-ray fluoroscopy," *Philips Journal of Research*, vol. 51, no. 2, pp. 231–251, 1998.
- [43] A. Kaup and T. Aach, "Coding of segmented images using shape-independent basis functions," *IEEE Transactions on Image Processing*, vol. 7, no. 7, pp. 937–947, 1998, **Preis der ITG/VDE 1999**.
- [44] T. Aach and A. Kaup, "Bayesian algorithms for change detection in image sequences using Markov random fields," *Signal Processing: Image Communication*, vol. 7, no. 2, pp. 147–160, 1995.

- [45] T. Aach, A. Kaup, and R. Mester, “On texture analysis: Local energy transforms versus quadrature filters,” *Signal Processing*, vol. 45, no. 2, pp. 173–181, 1995.
- [46] T. Aach and A. Kaup, “Disparity-based segmentation of stereoscopic foreground/background image sequences,” *IEEE Transactions on Communications*, vol. 42, no. 2, pp. 673–679, 1994.
- [47] A. Kaup and T. Aach, “Stochastic model-based image segmentation using functional approximation,” *IEICE Transactions on Fundamentals*, vol. E77-A, no. 9, pp. 1451–1456, 1994.
- [48] T. Aach, A. Kaup, and R. Mester, “Statistical model-based change detection in moving video,” *Signal Processing*, vol. 31, no. 2, pp. 165–180, 1993, **most highly cited paper published in Signal Processing Vol. 31** (Scopus 2006).
- [49] R. Mester, T. Aach, and U. Franke, “Image segmentation experiments using the contour relaxation algorithm,” *Zeitschrift für Photogrammetrie und Fernerkundung*, no. 4, pp. 127–132, 7 1991.

4 Conferences

References

- [1] A. Bell, D. Friedrich, K. Chaisaowong, T. Braunschweig, R. Knüchel-Clarke, and T. Aach, “Fast virtual destaining of immunocytological specimens,” in *Proceedings IEEE International Symposium on Biomedical Imaging (ISBI)*. Chicago: IEEE, March 30 – April 2 2011, to appear.
- [2] Q. Sun, A. Groth, I. Larrabide, S. Cito, M. Aguila, A. F. Frangi, V. M. Pereira, R. Ouared, O. Brina, and T. Aach, “In-vitro verification of CFD simulations for predicting flow in a stented aneurysm model,” in *Proceedings IEEE International Symposium on Biomedical Imaging (ISBI)*. Chicago: IEEE, March 30 – April 2 2011, to appear.
- [3] J. Wulff, T. Lotz, T. Stehle, T. Aach, and J. G. Chase, “Correspondence estimation from non-rigid motion information,” in *Medical Imaging 2011: Image Processing*. Orlando, USA: SPIE Vol. 7962, February 12–17 2011, p. in press.
- [4] Q. Sun, A. Groth, M. Bertram, O. Brina, V. M. Pereira, and T. Aach, “A comprehensive validation of patient-specific CFD simulations of cerebral aneurysm flow with virtual angiography,” in *Medical Imaging 2011: Visualization, Image-Guided Procedures, and Modeling*. Orlando, USA: SPIE Vol. 7964, February 12–17 2011, p. in press.
- [5] A. Behrens, I. Heisterklaus, Y. Müller, T. Stehle, S. Gross, and T. Aach, “2-D and 3-D visualization methods of endoscopic panoramic bladder images,” in *Medical Imaging 2011: Visualization, Image-Guided Procedures, and Modeling*. Orlando, USA: SPIE Vol. 7964, February 12–17 2011, p. in press.
- [6] S. Gross, S. Palm, A. Behrens, J. Tischendorf, C. Trautwein, and T. Aach, “Segmentierung von Blutgefäßstrukturen in koloskopischen NBI-Bilddaten,” in *Bildverarbeitung für die Medizin 2011*. Lübeck: Springer, March 20-22 2011, in press.
- [7] D. Friedrich, A. Bell, K. Chaisaowong, T. Braunschweig, Ruth Knüchel-Clarke, and T. Aach, “HDR microscopy for color selective virtual destaining of immunocytological specimens,” in *Bildverarbeitung für die Medizin 2011*. Lübeck: Springer, March 20-22 2011, in press.

- [8] A. Behrens, Jonathan, S. Gross, and T. Aach, "Trägheitsbasiertes Navigationssystem für die Harnblasenendoskopie," in *Bildverarbeitung für die Medizin 2011*. Lübeck: Springer, March 20-22 2011, in press.
- [9] J. Klein, J. Brauers, and T. Aach, "Methods for spectral characterization of multispectral cameras," in *IS&T/SPIE Electronic Imaging: Digital Photography VII*. San Francisco, California, USA: SPIE-IST Vol. 7876, January 23–27 2011, p. to appear.
- [10] G. Herberich, T. Aach, S. Portet, M. Beil, R. Leube, and R. Windoffer, "Towards quantification and modeling of the keratin assembly-disassembly cycle," in *Proceedings of the ASCB 50th Annual Meeting*, Dec. 11-15 2010, p. Abstract Control ID: 932449.
- [11] G. Herberich, T. Wuerflinger, A. Sechi, R. Windoffer, R. Leube, and T. Aach, "Fluorescence microscopic imaging and image analysis of the cytoskeleton," in *Proceedings of the IEEE Asilomar Conference on Signals, Systems and Computers*. Pacific Grove: IEEE, November 7–10 2010, p. in press.
- [12] R. Schmitt, Y. Cai, and T. Aach, "A priori knowledge-based recognition and inspection in carbide insert production," in *Proceedings IEEE International Conference on Computational Intelligence for Measurement Systems and Applications (CIMS)*. Taranto: IEEE, Sept 6 - 8 2010, pp. 24–29.
- [13] G. Herberich, A. Ivanescu, I. Gamper, A. Sechi, and T. Aach, "Analysis of length and orientation of microtubules in wide-field fluorescence microscopy," in *Pattern Recognition*, ser. LNCS, M. Goesele, S. Roth, A. Kuijper, B. Schiele, and K. Schindler, Eds., vol. 6376. Springer, 2010, pp. 182–191.
- [14] J. N. Kaftan, A. A. Bell, and T. Aach, "Denoising the high dynamic range imaging process: A comparative study using SNR and detail loss criteria," in *IEEE International Conference on Image Processing (ICIP2010)*. Hong Kong: IEEE, September 26-29 2010, pp. 3149–3152.
- [15] Y. Bandoh, G. Qiu, M. Okuda, S. Daly, T. Aach, and O. Au, "Recent advances in high dynamic range imaging technology," in *IEEE International Conference on Image Processing (ICIP2010)*. Hong Kong: IEEE, September 26-29 2010, pp. 3125–3128.
- [16] J. Klein, J. Brauers, and T. Aach, "Spektrale Charakterisierung einer Multispektralkamera," in *16. Workshop Farbbildverarbeitung*. Ilmenau, Germany: Zentrum für Bild- und Signalverarbeitung e.V., October 7–8 2010, pp. 18–27.
- [17] D. Friedrich, J. Brauers, A. Bell, and T. Aach, "Towards fully automated precise measurement of camera transfer functions," in *9th IEEE Southwest Symposium on Image Analysis and Interpretation*. Austin: IEEE Computer Society, May 23-25 2010, pp. 149–152.
- [18] J. Klein, J. Brauers, and T. Aach, "Spatial and spectral analysis and modeling of transversal chromatic aberrations and their compensation," in *IS&Ts Fifth European Conference on Color in Graphics, Imaging and Vision (CGIV 2010), 12th International Symposium on Multispectral Colour science*. Joensuu: IS&T (CD-ROM), June 14–17 2010, pp. 516–522.
- [19] J. Brauers, J. Klein, B. Hill, and T. Aach, "Camera-supervised monitor shading correction for softproofing systems," in *IS&Ts Fifth European Conference on Color in Graphics, Imaging and Vision (CGIV 2010)*. Joensuu: IS&T (CD-ROM), June 14–17 2010, pp. 126–131.
- [20] G. E. Fahmy and T. Aach, "Enhanced B-spline based compression performance for images," in *Proceedings ICASSP-2010*. Dallas: IEEE, March 14–19 2010, pp. 1390–1393.

- [21] Q. Sun, A. Groth, M. Bertram, I. Wächter, T. Bruijns, R. Hermans, V. M. Pereira, O. Brina, and T. Aach, "Experimental validation and sensitivity analysis for CFD simulations of cerebral aneurysms," in *Proceedings IEEE International Symposium on Biomedical Imaging (ISBI)*. Rotterdam: IEEE, April 14–17 2010, 1049–1052.
- [22] A. Behrens, M. Guski, T. Stehle, S. Gross, and T. Aach, "Intensity based multi-scale blending for panoramic images in fluorescence endoscopy," in *Proceedings IEEE International Symposium on Biomedical Imaging (ISBI)*. Rotterdam: IEEE, April 14–17 2010, pp. 1305–1308.
- [23] T. Dey, H. Wiczorek, B. Backus, L. Romijn, F. Verzijbergen, and T. Aach, "Thallium-Stress, Technetium-Rest Protokoll für Cardiac SPECT," in *Bildverarbeitung für die Medizin 2010*. Aachen: Springer, March 14–16 2010, 320–324.
- [24] A. Behrens, M. Guski, T. Stehle, S. Gross, and T. Aach, "Intensitätsbasiertes Multiskalen-Blending zur Erstellung von Panoramabildern in der Fluoreszenzendoskopie," in *Bildverarbeitung für die Medizin 2010*. Aachen: Springer, March 14–16 2010, 51–55.
- [25] A. Behrens, M. Bommers, T. Stehle, S. Gross, S. Leonhardt, and T. Aach, "Mosaickingalgorithmus zur schnellen Panoramabilderstellung in der Fluoreszenzendoskopie," in *Bildverarbeitung für die Medizin 2010*. Aachen: Springer, March 14–16 2010, 41–45.
- [26] T. Stehle, J. Wulff, A. Behrens, S. Gross, and T. Aach, "Modellbasierte Echtzeit-Bewegungsschätzung in der Fluoreszenzendoskopie," in *Bildverarbeitung für die Medizin 2010*. Aachen: Springer, March 14–16 2010, 435–439.
- [27] S. Gross, M. Schink, T. Stehle, A. Behrens, J. Tischendorf, C. Trautwein, and T. Aach, "Echtzeitfähige Extraktion scharfer Standbilder in der Video-Koloskopie," in *Bildverarbeitung für die Medizin 2010*. Aachen: Springer, March 14–16 2010, pp. 206–210.
- [28] J. Brauers and T. Aach, "Direct PSF estimation using a random noise target," in *IS&T/SPIE Electronic Imaging: Digital Photography VI*, F. Imai, N. Sampat, and F. Xiao, Eds. San Jose, USA: SPIE-IST Vol. 7537, January 17–21 2010, pp. 75 370B–1–10.
- [29] A. Behrens, M. Bommers, T. Stehle, S. Gross, S. Leonhardt, and T. Aach, "A multi-threaded mosaicking algorithm for fast image composition of fluorescence bladder images," in *Medical Imaging 2010: Visualization, Image-Guided Procedures, and Modeling*, K. H. Wong and M. I. Miga, Eds. San Diego, USA: SPIE Vol. 7625, February 13–18 2010, pp. 76 252S–1–10.
- [30] G. Herberich, R. Windoffer, R. Leube, and T. Aach, "3D motion analysis of keratin filaments in living cells," in *Medical Imaging 2010: Image Processing*, B. M. Dawant and D. R. Haynor, Eds. San Diego, USA: SPIE Vol. 7623, February 13–18 2010, pp. 76 232B–1–9.
- [31] J. Brauers, C. Seiler, and T. Aach, "Analyse und Kompensation von longitudinalen Aberrationen," in *15. Workshop Farbbildverarbeitung 2009*. Ilmenau: GFaI, October 8–9 2009, pp. 9–18.
- [32] J. Brauers and T. Aach, "Ghosting reflection compensation for multispectral high dynamic range imaging," in *17th Color Imaging Conference (CIC17)*. Albuquerque: IS & T: Society for Imaging Science and Technology, November 9–13 2009, 170–174.
- [33] T. Würflinger, A. S. Sechi, and T. Aach, "Segmentation, tracking, and analysis of focal adhesion dynamics in cellular microscopy imaging," in *IEEE International Conference on Image Processing (ICIP2009)*. Cairo: IEEE, November 7–11 2009, pp. 4209–4212.

- [34] J. Kaftan, A. Bell, C. Seiler, and T. Aach, "Wavelet based denoising by correlation analysis for high dynamic range imaging," in *IEEE International Conference on Image Processing (ICIP2009)*. Cairo: IEEE, November 7-11 2009, pp. 3857–3860.
- [35] A. Condurache, A. Mertins, and T. Aach, "Supervised, hysteresis-based segmentation of retinal images using the linear-classifier percentile," in *39. Jahrestagung der Gesellschaft für Informatik*. Lübeck: Springer Lecture Notes in Informatics, September 28 – October 2 2009, p. to appear.
- [36] A. Behrens, T. Stehle, S. Gross, and T. Aach, "Local and global panoramic imaging for fluorescence bladder endoscopy," in *31st Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC 2009)*. Minneapolis: IEEE, September 2–6 2009, pp. 6990–6993.
- [37] R. Pikkemaat, H. Luepschen, T. Meier, T. Aach, and S. Leonhardt, "Regional pulmonary time-constant maps based on eit-measurements," in *World Congress on Medical Physics and Biomedical Engineering, September 7 - 12, 2009, Munich, Germany*, ser. IFMBE Proceedings, O. Dössel and W. C. Schlegel, Eds., vol. 25/VII. Springer, 2009, pp. 604–607.
- [38] A. Salomon, A. Goedicke, and T. Aach, "Simultaneous reconstruction of activity and attenuation in multi-modal ToF-PET," in *10th International Meeting on Fully Three-Dimensional Image Reconstruction in Radiology and Nuclear Medicine (Fully3D)*, Beijing, Sept. 5-10 2009, pp. 339–342.
- [39] C. Schretter, F. Pilatus, G. Rose, T. Aach, and M. Bertram, "Optical flow motion estimation for approximate motion compensation in cone-beam CT," in *10th International Meeting on Fully Three-Dimensional Image Reconstruction in Radiology and Nuclear Medicine (Fully3D)*, Beijing, Sept. 5-10 2009, pp. 327–330.
- [40] N. C. Stache, J. Dieckelmann, J. Gedicke, A. Olowinsky, and T. Aach, "An image-based "click&weld"-method for laser beam positioning in micro welding applications," in *International Congress on the Applications of Lasers and Electro-Optics (ICALEO)*, Laser Institute of America. Orlando, FL, USA: Laser Institute of America, Nov. 2–5 2009, pp. 343–352, **ICALEO Student Paper Award - 2nd Place - to N. Stache**.
- [41] Q. Sun, A. Groth, I. Wächter, O. Brina, J. Weese, and T. Aach, "Quantitative evaluation of virtual angiography for interventional X-ray acquisitions," in *Proceedings IEEE International Symposium on Biomedical Imaging (ISBI)*. Boston: IEEE, June 28 - July 1 2009, pp. 895–898.
- [42] T. Stehle, J. Wulff, A. Behrens, S. Gross, and T. Aach, "Denoising fluorescence endoscopy: A motion-compensated temporal recursive video filter with an optimal minimum mean square error parametrization," in *Proceedings IEEE International Symposium on Biomedical Imaging (ISBI)*. Boston: IEEE, June 28 - July 1 2009, pp. 314–317.
- [43] J. Brauers and T. Aach, "Geometric multispectral camera calibration," in *Image Analysis*, ser. LNCS, A.-B. Salberg, J. Y. Hardeberg, and R. Jenssen, Eds., vol. 5575. Springer, 2009, pp. 119–127.
- [44] T. Stehle, M. Hennes, and T. Aach, "Dynamic distortion correction for endoscopy systems with exchangeable optics," in *Bildverarbeitung für die Medizin 2009*. Berlin: Springer, 2009, 142–146.
- [45] S. Gross, M. Kennel, T. Stehle, J. Wulff, J. Tischendorf, C. Trautwein, and T. Aach, "Polyp segmentation in NBI colonoscopy," in *Bildverarbeitung für die Medizin 2009*. Berlin: Springer, 2009, 252–256.

- [46] J. N. Kaftan, H. Tek, and T. Aach, "A two-stage approach for fully automatic segmentation of venous vascular structures in liver CT images," in *Medical Imaging 2009: Image Processing*, J. P. W. Pluim and B. M. Dawant, Eds. Orlando, USA: SPIE Vol. 7259, February 7–12 2009, pp. 725 911–1–12.
- [47] A. Salomon, A. Goedicke, and T. Aach, "Advanced reconstruction of attenuation maps using SPECT emission data only," in *Medical Imaging 2009: Physics of Medical Imaging*, E. Samei and J. Hsieh, Eds. Orlando, USA: SPIE Vol. 7258, February 7–12 2009, 72580W-1–12.
- [48] J. Brauers and T. Aach, "Multispectral imaging with optical bandpass filters: Tilt angle and position estimation," in *IS&T/SPIE Electronic Imaging: Color Imaging XIV: Displaying, Hard-copy, Processing, and Applications*, R. Eschbach, G. G. Marcu, S. Tominaga, and A. Rizzi, Eds. San Jose, USA: SPIE-IST Vol. 7241, January 18–22 2009, pp. 72 410Z-1–72 410Z-9.
- [49] T. Stehle, R. Auer, S. Gross, A. Behrens, T. Aach, R. Winograd, C. Trautwein, and J. Tischendorf, "Classification of colon polyps in NBI endoscopy using vascularization features," in *Medical Imaging 2009: Computer-Aided Diagnosis*, N. Karssemeijer and M. L. Giger, Eds. Orlando, USA: SPIE Vol. 7260, February 7–12 2009, 72602S-1 – 12.
- [50] S. Gross, T. Stehle, A. Behrens, R. Auer, T. Aach, R. Winograd, C. Trautwein, and J. Tischendorf, "A comparison of blood vessel features and local binary patterns for colorectal polyp classification," in *Medical Imaging 2009: Computer-Aided Diagnosis*, N. Karssemeijer and M. L. Giger, Eds. Orlando, USA: SPIE Vol. 7260, February 7–12 2009, 72602Q-1–8.
- [51] C. Buerger, K. Chaisaowong, A. Knepper, T. Kraus, and T. Aach, "A topology-oriented and tissue-specific approach to detect pleural thickenings from 3D CT data," in *Medical Imaging 2009: Image Processing*, J. P. W. Pluim and B. M. Dawant, Eds. Orlando, USA: SPIE Vol. 7259, February 7–12 2009, 72593D-1–11.
- [52] K. Chaisaowong, A. Knepper, E. Ochsmann, T. Kraus, and T. Aach, "Automatic detection and quantitative assessment of pleural thickening in thoracic CT data," in *49. Jahrestagung der Deutsche Gesellschaft für Arbeitsmedizin und Umweltmedizin e.V. (DGAUM)*, vol. 44, no. 3. Aachen: Arbeitsmedizin Sozialmedizin Umweltmedizin, March 11–14, 2009, p. 184.
- [53] J. Brauers, N. Schulte, A. Bell, and T. Aach, "Color accuracy and noise analysis in multispectral HDR imaging," in *14. Workshop Farbbildverarbeitung 2008*. Aachen: Shaker Verlag, October 1–2 2008, pp. 33–42.
- [54] C. Kier, G. Seidel, N. Brüggemann, J. Hagenah, C. Klein, T. Aach, and A. Mertins, "Transcranial sonography as early indicator for genetic Parkinson's disease," in *4th European Congress for Medical and Biomedical Engineering*, Antwerp, November 23–27 2008.
- [55] N. C. Stache, J. Dieckelmann, R. Firnich, J. Gedicke, P. Abels, A. Olowinsky, and T. Aach, "High speed video-based melt pool surveillance in laser spot welding," in *International Congress on the Applications of Lasers and Electro-Optics (ICALEO)*, Laser Institute of America. Temecula, CA, USA: Laser Institute of America, Oct. 20–23 2008, to appear.
- [56] J. N. Kaftan, A. P. Kiraly, M. Erdt, M. Sühling, and T. Aach, "Fuzzy pulmonary vessel segmentation using optimized vessel enhancement filtering," in *MICCAI 1st International Workshop on Pulmonary Image Analysis*. New York: MICCAI, 6 September 2008, pp. 233–242.
- [57] T. Schuchert, H. Scharr, and T. Aach, "Range flow for varying illumination," in *10th European Conference on Computer Vision (ECCV)*, ser. LNCS, D. Forsyth, P. Torr, and A. Zisserman, Eds., vol. 5302. Marseille: Springer, Oct. 12–18 2008, pp. 599–522.

- [58] T. Stehle, A. Behrens, and T. Aach, "Enhancement of visual contrast in fluorescence endoscopy," in *IEEE International Conference on Multimedia and Expo (ICME)*. Hanover: IEEE, June 22-26 2008, pp. 537–540 (ISBN: 978–1–4244–2571–6).
- [59] A. Kölsch, T. Würflinger, T. Aach, R. E. Leube, and R. Windoffer, "A dynamic model of intermediate filament turnover," in *Proceedings of the FEBS Workshop 'Mechanics and Dynamics of the Cytoskeleton' of the European Cytoskeleton Forum (ECF)*, Potsdam, Germany, June 22-26 2008.
- [60] R. Windoffer, A. Kölsch, S. Wöll, T. Würflinger, T. Aach, and R. E. Leube, "In vivo imaging and quantification of the continuous keratin filament network turnover," in *Proceedings of the 14th European Microscopy Congress*, Aachen, Germany, September 1-5 2008.
- [61] A. A. Bell, C. Seiler, J. N. Kaftan, and T. Aach, "Noise in high dynamic range imaging," in *IEEE International Conference on Image Processing (ICIP2008)*. San Diego, CA: IEEE, October 12-15 2008, pp. 561–564 (CD-ROM).
- [62] J. Brauers and T. Aach, "Longitudinal aberrations caused by optical filters and their compensation in multispectral imaging," in *IEEE International Conference on Image Processing (ICIP2008)*. San Diego, CA: IEEE, October 12-15 2008, pp. 525–528 (CD-ROM).
- [63] M. Mühlich, D. Truhn, K. Nagel, A. Walter, H. Scharr, and T. Aach, "Measuring plant root growth," in *Pattern Recognition*, ser. LNCS, G. Rigoll, Ed., vol. 5096. Springer, 2008, pp. 497–506.
- [64] K. Chaisaowong, B. Bross, A. Knepper, T. Kraus, and T. Aach, "Detection and follow-up assessment of pleural thickenings from 3D CT data," in *5th IEEE International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology (ECTI-CON 2008)*. Krabi, Thailand: IEEE, May 14–17 2008, pp. 489–492.
- [65] A. Böcking, A. Onofre, F. Onofre, N. Pomjanski, A. Bell, T. Würflinger, D. Meyer-Ebrecht, and T. Aach, "Multimodal diagnostic cytometry," *Cytopathology*, 34th European Congress of Cytology, vol. 19, no. S1, p. 35, 2008.
- [66] A. Böcking, T. Aach, A. Bell, C. Henning, T. Klein, A. Metzger, N. Nitzke, Q. H. Nguyen, N. Pomjanski, A. Onofre, T. Remmerbach, T. Schneider, T. Wrflinger, and D. Meyer-Ebrecht, "Multimodal cell analysis (MMCA) for early cancer detection," *Cellular Oncology*, vol. 30, no. 2, p. PP22, 2008, ISCO Congress 2008.
- [67] A. Bell, T. E. Schneider, D. Meyer-Ebrecht, A. Böcking, and T. Aach, "Automated detection of immunocytochemical marker demonstrations for cancer screening," *Cellular Oncology*, vol. 30, no. 2, p. D10, 2008, ISCO Congress 2008.
- [68] A. Bell, J. Kaftan, D. Meyer-Ebrecht, A. Böcking, and T. Aach, "Automated detection of AgNORs by high dynamic range microscopy," *Cellular Oncology*, vol. 30, no. 2, p. D09, 2008, ISCO Congress 2008.
- [69] A. Bell, G. Herberich, D. Meyer-Ebrecht, A. Böcking, and T. Aach, "Nuclear segmentation for silver stained cytopathological specimens," *Cellular Oncology*, vol. 30, no. 2, p. D05, 2008, ISCO Congress 2008.
- [70] T. Würflinger, M. Bergmeister, A. Böcking, , D. Meyer-Ebrecht, and T. Aach, "Image registration for multimodal cell analysis," *Cellular Oncology*, vol. 30, no. 2, p. D06, 2008, ISCO Congress 2008.

- [71] T. Würflinger, L. Höck, A. Böcking, D. Meyer-Ebrecht, and T. Aach, "Accurate DNA image cytometry for automated screening scenarios," *Cellular Oncology*, vol. 30, no. 2, p. 114, 2008, ISCO Congress 2008.
- [72] D. Meyer-Ebrecht, T. Aach, A. Böcking, and B. Palcic, "Challenges, state-of-the-art and perspectives of computer-supported cell analysis," *Cellular Oncology*, vol. 30, no. 2, p. D12, 2008, ISCO Congress 2008.
- [73] S. Groß, T. Stehle, A. Behrens, and T. Aach, "Highly configurable real time processing solution for medical image data," in *Liège Image Days, International Conference on Medical Imaging*, Liège, 2008, p. 5.
- [74] T. Stehle, D. Truhn, and T. Aach, "Camera calibration for endoscopic fish-eye lenses for 3D reconstruction," in *Liège Image Days, International Conference on Medical Imaging*, Liège, 2008, p. 8, **Scientific Poster Award: First Prize to T. Stehle.**
- [75] A. Bell, G. Herberich, D. Meyer-Ebrecht, A. Böcking, and T. Aach, "Analysis of silver stained cell specimens: Nuclear segmentation and validation," in *Liège Image Days, International Conference on Medical Imaging*, Liège, 2008, p. 13.
- [76] J. N. Kaftan, M. Das, and T. Aach, "Evaluation of probability functions used for fuzzy pulmonary vessel segmentation in cta data," in *Liège Image Days, International Conference on Medical Imaging*, Liège, 2008, p. 16.
- [77] K. Chaisawong, A. Knepper, T. Kraus, and T. Aach, "Software system for the computer-assisted diagnosis of early stage pleural mesothelioma," in *Liège Image Days, International Conference on Medical Imaging*, Liège, 2008, p. 22.
- [78] J. Durant, I. Wächter, R. Hermans, J. Weese, and T. Aach, "Towards quantitative virtual angiography: Evaluation with in vitro studies," in *Proceedings IEEE International Symposium on Biomedical Imaging (ISBI)*. Paris, France: IEEE, May 14-17 2008, pp. 632–635, cDROM, ISBN: 978-1-4244-2003-2.
- [79] J. N. Kaftan, A. Bakai, M. Das, and T. Aach, "Locally Adaptive Fuzzy Pulmonary Vessel Segmentation in Contrast Enhanced CT Data," in *Proceedings IEEE International Symposium on Biomedical Imaging (ISBI)*. Paris, France: IEEE, May 14-17 2008, pp. 101–104, cDROM, ISBN: 978-1-4244-2003-2.
- [80] J. Brauers, S. Helling, and T. Aach, "Multispectral imaging with flash light sources," in *IS&T 4th European Conference on Color in Graphics, Imaging, and Vision*. Barcelona, Spain: IS&T, June 9–13 2008, pp. 608–612 (CD-ROM, ISBN: 978-0-89208-262-6).
- [81] J. Brauers and T. Aach, "Modeling and compensation of ghosting in multispectral filter wheel cameras," in *IEEE Southwest Symposium on Image Analysis and Interpretation*, Santa Fe, New Mexico, USA, Mar 2008, pp. 85–88, invited paper.
- [82] J. N. Kaftan, A. Bakai, F. Maier, and T. Aach, "Halbautomatische Segmentierung von Pulmonalgefäßen in CT Daten als Referenz zur Validierung automatischer Verfahren," in *Bildverarbeitung für die Medizin 2008*. Berlin: Springer, 2008, 16–20.
- [83] T. Stehle, A. Behrens, M. Bolz, and T. Aach, "Visual Enhancement of Fascial Tissue in Endoscopy," in *Medical Imaging 2008: Visualization, Image-Guided Procedures and Modeling*, M. I. Miga and K. R. Cleary, Eds. San Diego, USA: SPIE Vol. 6918, February 16–21 2008, 69180Z-1 – 9.

- [84] J. N. Kaftan, A. P. Kiraly, A. Bakai, M. Das, C. L. Novak, and T. Aach, "Fuzzy Pulmonary Vessel Segmentation in Contrast Enhanced CT data," in *Medical Imaging 2008: Image Processing*, J. M. Reinhardt and J. P. W. Pluim, Eds. San Diego, USA: SPIE Vol. 6914, February 16–21 2008, 69141Q-1 – 12.
- [85] E. A. Company, K. Chaisaowong, A. Knepper, T. Kraus, and T. Aach, "An approach to segment lung pleura from CT data with high precision," in *Medical Imaging 2008: Image Processing*, J. M. Reinhardt and J. P. W. Pluim, Eds. San Diego, USA: SPIE Vol. 6914, February 16–21 2008, 69143P-1 – 10.
- [86] J. N. Kaftan, A. A. Bell, and T. Aach, "Mean Shift Segmentation - Evaluation of Optimization Techniques," in *Proceedings of the Third International Conference on Computer Vision Theory and Applications, VISAPP 2008*. Funchal, Madeira - Portugal: INSTICC - Institute for Systems and Technologies of Information, Control and Communication, January 22–25 2008, pp. 365–374.
- [87] J. Brauers, N. Schulte, A. Bell, and T. Aach, "Multispectral high-dynamic-range imaging," in *IS&T/SPIE Electronic Imaging: Color Imaging XIII: Processing, Hardcopy, and Applications*, R. Eschbach, G. G. Marcu, and S. Tominaga, Eds. San Jose, USA: SPIE-IST Vol. 6807, January 27–31 2008, pp. 680 704–1.
- [88] A. A. Bell, D. Meyer-Ebrecht, A. Böcking, and T. Aach, "HDR-microscopy of cell specimens: Imaging and image analysis," in *41st Asilomar Conference on Signals, Systems and Computers*. Pacific Grove: IEEE Signal Processing Society, November 4-7 2007, pp. 1303–1307, invited paper (CD-ROM, ISBN 978-1-4244-2110-7).
- [89] T. Schneider, D. Wissing, A. Böcking, D. Meyer-Ebrecht, and T. Aach, "Cytological cancer diagnostics: Support vector machine based separation of epithelial cells from smears of the oral mucosa into normal and abnormal cells for DNA image cytometry," in *41. DGBMT-Jahrestagung Biomedizinische Technik (BMT 2007)*, Aachen, September 26–29 2007, pp. (CD-ROM).
- [90] A. Maciak, C. Kier, G. Seidel, K. Meyer-Wiethe, U. Hofmann, and T. Aach, "Robuste Ermittlung parametrischer Bilder für die Ultraschall-Perfusionsbildgebung basierend auf einem Modell der Boluskinetik von Kontrastmitteln," in *41. DGBMT-Jahrestagung Biomedizinische Technik (BMT 2007)*, Aachen, September 26–29 2007, p. (CDROM).
- [91] T. Stehle, S. Takano, T. Aach, M. Kob, and T. Niendorf, "Analysis of tongue motion in high-speed tagged MRI sequences," in *41. DGBMT-Jahrestagung Biomedizinische Technik (BMT 2007)*, Aachen, September 26–29 2007, pp. (CD-ROM).
- [92] S. Gross, T. Stehle, A. Behrens, and T. Aach, "RealTimeFrame - a real time image processing solution for medical environments," in *41. DGBMT-Jahrestagung Biomedizinische Technik (BMT 2007)*, Aachen, September 26–29 2007, pp. (CD-ROM).
- [93] N. C. Stache, A. Stollenwerk, J. Gedicke, A. Olowinsky, A. Knepper, and T. Aach, "Automatic calibration of a scanner-based laser welding system," in *International Congress on the Applications of Lasers and Electro-Optics (ICALEO)*, Laser Institute of America. Orlando, Florida, USA: Laser Institute of America, Oct. 29–Nov. 1 2007, pp. 223–229, **ICALEO Student Paper Award - 1st Place - to N. Stache**.
- [94] M. Mühlich and T. Aach, "High accuracy feature detection for camera calibration: A multi-steerable approach," in *Pattern Recognition*, ser. LNCS, F. A. Hamprecht, C. Schnörr, and B. Jähne, Eds., vol. 4713. Springer, 2007, pp. 284–293.

- [95] N. C. Stache, H. Zimmer, J. Gedicke, A. Olowinsky, and T. Aach, "Robust high-speed melt pool measurements for laser welding with sputter detection capability," in *Pattern Recognition*, ser. LNCS, F. A. Hamprecht, C. Schnörr, and B. Jähne, Eds., vol. 4713. Springer, 2007, pp. 476–485.
- [96] M. Mühlich, T. Dahmen, and T. Aach, "Design of multi-steerable filters and their application for the detection of corners and junctions," in *IEEE International Conference on Image Processing (ICIP2007)*. San Antonio, TX: IEEE, September 16-19 2007, pp. IV–33 – IV–36.
- [97] A. A. Bell, G. Herberich, D. Meyer-Ebrecht, A. Böcking, and T. Aach, "Segmentation and detection of nuclei in silver stained cell specimens for early cancer diagnosis," in *IEEE International Conference on Image Processing (ICIP2007)*. San Antonio, TX: IEEE, September 16-19 2007, pp. VI–49 – VI–52.
- [98] K. Meisinger, T. Aach, and A. Kaup, "Spatio-temporal defect pixel interpolation using 3-D frequency selective extrapolation," in *IEEE International Conference on Image Processing (ICIP2007)*. San Antonio, TX: IEEE, September 16-19 2007, pp. IV–149 – IV–152.
- [99] J. Brauers, N. Schulte, and T. Aach, "Modeling and compensation of geometric distortions of multispectral cameras with optical bandpass filter wheels," in *15th European Signal Processing Conference (EUSIPCO-2007)*. Poznan: EURASIP, September 3-7 2007, pp. 1902–1906.
- [100] M. Mühlich, T. Dahmen, and T. Aach, "Doubly-rotated matched filtering," in *15th European Signal Processing Conference (EUSIPCO-2007)*. Poznan: EURASIP, September 3-7 2007, pp. 2169–2173.
- [101] A. Hilsmann, T. Vik, M. Kaus, K. Franks, J.-P. Bissonette, T. Purdie, A. Bejzak, and T. Aach, "Deformable 4DCT lung registration with vessel bifurcations," *International Journal of Computer Assisted Radiology and Surgery*, vol. 2, no. S1, p. S47, June 2007.
- [102] C. Kier, C. Cyrus, G. Seidel, U. G. Hofmann, and T. Aach, "Segmenting the substantia nigra in ultrasound images for early diagnosis of Parkinson's disease," *International Journal of Computer Assisted Radiology and Surgery*, vol. 2, no. S1, p. S83, June 2007.
- [103] T. Stehle, D. Truhn, T. Aach, C. Trautwein, and J. Tischendorf, "Camera calibration for fish-eye lenses in endoscopy with an application to 3D reconstruction," in *Proceedings IEEE International Symposium on Biomedical Imaging (ISBI)*. Washington, D.C.: IEEE, April 12-15 2007, pp. 1176–1179 (CD-ROM, ISBN: 1-4244-0672-2).
- [104] R. Schmitt, T. Pfeifer, T. Aach, K. Berdel, and A. Orth, "A machine vision algorithm for texture segmentation and recognition with application to the inspection of fibre-reinforced plastics," in *Optical Measurement Techniques for Structures and Systems (OPTIMESS) 2007*, Leuven, 28.-30. May 2007, p. to appear.
- [105] T. Schneider, A. Bell, G. Herberich, D. Meyer-Ebrecht, A. Böcking, and T. Aach, "Chromatinmuster-basierte Zellklassifizierung für die DNS-Bildzytometrie an Mundschleimhaut-Abstrichen," in *Bildverarbeitung für die Medizin 2007*, H. Handels, J. Ehrhardt, A. Horsch, H.-P. Meinzer, and T. Tolxdorff, Eds. München: Springer Verlag (Informatik aktuell), 2007, pp. 257–261.
- [106] A. Bell, T. Schneider, D. Müller-Frank, D. Meyer-Ebrecht, A. Böcking, and T. Aach, "Fully automatic screening of immunocytochemically stained cytopathological specimens for early cancer detection," in *Medical Imaging 2007: Computer-Aided Diagnosis*, M. L. Giger and N. Karssemeijer, Eds. San Diego, USA: SPIE Vol. 6514, February 17–22 2007, pp. 65 131–1–11.

- [107] T. Schneider, A. Bell, D. Meyer-Ebrecht, A. Böcking, and T. Aach, "Computer aided cytological cancer diagnosis: Cell type classification as a step towards fully automatic cancer diagnosis on cytopathological specimens of serous effusions," in *Medical Imaging 2007: Computer-Aided Diagnosis*, M. L. Giger and N. Karssemeijer, Eds. San Diego, USA: SPIE Vol. 6514, February 17–22 2007, pp. 65 140G–1–10.
- [108] A. Condurache, T. Hahn, U. Hofmann, M. Scharfschwerdt, M. Misfeld, and T. Aach, "Automatic measuring of quality criteria for heart valves," in *Medical Imaging 2007: Image Processing*, J. P. W. Pluim and J. M. Reinhardt, Eds. San Diego, USA: SPIE Vol. 6512, February 17–22 2007, pp. 65 122Q–1–65 122Q–11.
- [109] K. Chaisaowong, P. Jäger, S. Vogel, A. Knepper, T. Kraus, and T. Aach, "Computer-assisted diagnosis for early stage pleural mesothelioma: Automated extraction of pleura to detect pleural thickenings from thoracic CT images," in *International Workshop on Advanced Image Technology (IWAIT2007)*, Bangkok, January 8–9 2007, pp. 229–234.
- [110] K. Chaisaowong, A. Knepper, T. Kraus, and T. Aach, "Application of supervised range-constrained thresholding to extract lung pleura for automated detection of of pleural thickenings from thoracic CT images," in *Medical Imaging 2007: Computer-Aided Diagnosis*, M. L. Giger and N. Karssemeijer, Eds. San Diego, USA: SPIE Vol. 6514, February 17–22 2007, pp. 65 143M–1–11.
- [111] A. A. Bell, J. N. Kaftan, T. Schneider, D. Meyer-Ebrecht, A. Böcking, and T. Aach, "Imaging and image processing for early cancer diagnosis on cytopathological microscopy images: Towards fully automatic AgNOR detection," in *9th Korea-Germy Joint Workshop on Advanced Medical Image Processing*. Seoul: Ewha University, September 21–26 2006, pp. 89–96.
- [112] N. Stache, H. Zimmer, J. Gedicke, B. Regaard, A. Olowinsky, A. Knepper, and T. Aach, "Approaches for high-speed melt pool detection in laser welding applications," in *Vision, Modeling, and Visualization (VMV) 2006*, Aachen, November 22–24 2006, pp. 217–224.
- [113] J. N. Kaftan, A. A. Bell, D. Meyer-Ebrecht, A. Böcking, and T. Aach, "Segmentation of nucleolar organizer regions by means of high dynamic range cell imaging and analysis," in *Vision, Modeling, and Visualization (VMV) 2006*, Aachen, November 22–24 2006, pp. 285–292.
- [114] J. Brauers and T. Aach, "A color filter array based multispectral camera," in *12. Workshop Farbbildverarbeitung*, Z. für Bild-und Signalverarbeitung (ZBS) e.V., Ed. Ilmenau: ISSN 1432-3346, October 5–6 2006, pp. 55–64.
- [115] T. Aach, "New criteria for shift variance and wide-sense cyclostationarity in multirate filter banks," in *International Workshop on Spectral Methods and Multirate Signal Processing (SMMSP)*, T. Saramäki, K. Egiazarian, and J. Astola, Eds. Florence: TICSP Series, ISBN: 952-15-1624-0, Sept. 2 – 3 2006, pp. 7–13 (also on CD-ROM).
- [116] A. Condurache and T. Aach, "Vessel segmentation in 2D-projection images using a supervised linear hysteresis classifier," in *18th International Conference on Pattern Recognition (ICPR)*. Hong Kong: IEEE Computer Society (ISBN: 0-7695-2521-0), August 20–24 2006, pp. CD-ROM.
- [117] C. Kier and T. Aach, "Predicting the benefit of sample size extension in multiclass k-NN classification," in *18th International Conference on Pattern Recognition (ICPR)*. Hong Kong: IEEE Computer Society (ISBN: 0-7695-2521-0), August 20–24 2006, pp. CD-ROM.
- [118] N. C. Stache, T. H. Stehle, M. Mühlich, and T. Aach, "Towards multiple-orientation based tensor invariants for object tracking," in *14th European Signal Processing Conference*, F. Gini, Ed. Firenze: EURASIP, September 4–8 2006, pp. 1–4 (CD-ROM).

- [119] J. H. Moltz, I. Stuke, and T. Aach, "Histogram-based orientation analysis for junctions," in *European Signal Processing Conference*, F. Gini, Ed. Firenze: EURASIP, September 4-8 2006, pp. 1-4 (CD-ROM).
- [120] A. A. Bell, J. N. Kaftan, T. Aach, D. Meyer-Ebrecht, and A. Böcking, "High dynamic range images as a basis for detection of argyrophilic nucleolar organizer regions under varying intensity," in *IEEE International Conference on Image Processing (ICIP2006)*. Atlanta, GA: IEEE, October 8-11 2006, pp. 2541-2544.
- [121] A. Maciak, C. Kier, G. Seidel, K. Meyer-Wiethe, and T. Aach, "Parameterfreie Erkennung von Ischämien mit ultraschallbasiertem Harmonic Imaging," in *Jahrestagung Biomedizinische Technik*, Zürich, September 6.-9. 2006, p. V76.
- [122] A. Condurache, T. Aach, A. Kaiser, and P. Radke, "User-defined ROI tracking of the myocardial blush grade," in *7th IEEE Southwest Symposium on Image Analysis and Interpretation*. Denver, CO: IEEE Computer Society, March 28-30 2006, pp. 66-70.
- [123] A. Bell, J. Kaftan, D. Meyer-Ebrecht, and T. Aach, "An evaluation framework for the accuracy of camera transfer functions estimated from differently exposed images," in *7th IEEE Southwest Symposium on Image Analysis and Interpretation*. Denver, CO: IEEE Computer Society, March 28-30 2006, pp. 168-172.
- [124] T. Hahn, A. Condurache, T. Aach, M. Scharfschwerdt, and M. Misfeld, "Automatic in-vitro orifice area determination and fluttering analysis for tricuspid heart valves," in *Bildverarbeitung für die Medizin 2006*, H. Handels, J. Ehrhardt, A. Horsch, H.-P. Meinzer, and T. Tolxdorff, Eds. Hamburg: Springer Verlag (Informatik aktuell), 2006, pp. 21-25.
- [125] C. Kier, K. Meyer-Wiethe, G. Seidel, and T. Aach, "Ultraschall-Perfusionsbildgebung für die Schlaganfalldiagnostik auf Basis eines Modells für die Destruktionskinetik von Kontrastmittel," in *Bildverarbeitung für die Medizin 2006*, H. Handels, J. Ehrhardt, A. Horsch, H.-P. Meinzer, and T. Tolxdorff, Eds. Hamburg: Springer Verlag (Informatik aktuell), 2006, pp. 41-45, **3. BVM-Preis 2006 (wiss. Beitrag)**.
- [126] P. Jäger, S. Vogel, A. Knepper, T. Kraus, and T. Aach, "3D-Erkennung, Analyse und Visualisierung pleuraler Verdickungen in CT-Daten," in *Bildverarbeitung für die Medizin 2006*, H. Handels, J. Ehrhardt, A. Horsch, H.-P. Meinzer, and T. Tolxdorff, Eds. Hamburg: Springer Verlag (Informatik aktuell), 2006, pp. 41-45, **3. BVM-Preis 2006 (Vortrag)**.
- [127] M. Mühlich and T. Aach, "A theory of multiple orientation estimation," in *9th European Conference on Computer Vision (ECCV)*, ser. LNCS, H. Bischof and A. Leonardis, Eds., no. 3952. Graz: Springer, May 7-13 2006, pp. (II) 69-82.
- [128] S. Schroeder, I. Stuke, and T. Aach, "On interpolation of sparsely sampled sinograms," in *Medical Imaging 2006: Image Processing*, J. M. Reinhardt and J. P. Pluim, Eds. San Diego, USA: SPIE Vol. 6144, February 11-16 2006, pp. 2156-2167.
- [129] T. Würflinger, A. Onofre, A. Böcking, D. Meyer-Ebrecht, and T. Aach, "DNA image cytometry: A key component for cancer diagnoses by multimodal cell analysis," in *Biomedical Engineering (BMT 2005)*, U. Boenick and A. Bolz, Eds. Nürnberg: Schiele & Schön, September 14-17 2005, pp. 590-591.
- [130] A. Condurache and T. Aach, "Vessel segmentation in angiograms using hysteresis thresholding," in *9th IAPR Conference on Machine Vision Applications (MVA2005)*. Tsukuba: IAPR (ISBN: 4-901122-04-5), May 16-18 2005, pp. 269-272.

- [131] G. Seidel, H. Cangür, K. Meyer-Wiethe, G. Renault, A. Herment, A. Schindler, C. Kier, and T. Aach, "Sonografische Darstellung der Hirnperfusion zur Prädiktion des Hirninfarktes bei Patienten mit akutem Schlaganfall," *Aktuelle Neurologie*, vol. 32, p. S4, 2005.
- [132] T. Aach and A. Condurache, "Transformation of adaptive thresholds by significance invariance for change detection," in *IEEE Workshop Statistical Signal Processing (SSP-2005)*. Bordeaux: IEEE, July 17–20 2005, p. Paper ID 500.
- [133] A. Vollrath, C. Kier, K. Meyer-Wiethe, G. Seidel, and T. Aach, "Detecting stripe artefacts in ultrasound parametric imaging," in *Biomedical Engineering (BMT 2005)*, U. Boenick and A. Bolz, Eds. Nürnberg: Schiele & Schön, September 14–17 2005, pp. 1235–1236.
- [134] A. Condurache, E. Essah, A. Reske, M. Seiwerts, H. Busse, T. Aach, and U. Hofmann, "Robust rib cage segmentation in CTimage series using active contour models," in *Biomedical Engineering (BMT 2005)*, U. Boenick and A. Bolz, Eds. Nürnberg: Schiele & Schön, September 14–17 2005, pp. 421–422.
- [135] A. Condurache, T. Aach, S. Grzybowski, and H.-G. Machens, "Vessel segmentation and analysis in laboratory skin transplant micro-angiograms," in *18th IEEE Symposium on Computer-Based Medicine (CBMS 2005)*, A. Tsymbal and P. Cunningham, Eds. Dublin: IEEE Computer Society, June 23–24 2005, pp. 21–26.
- [136] —, "Imaging and analysis of angiogenesis for skin transplantation by microangiography," in *International Conference on Image Processing (ICIP-2005)*. Genoa: IEEE, September 11–14 2005, pp. II/1250 – II/1253 (also on CD-ROM: ISBN 07 803 9135–7).
- [137] A. Condurache, T. Aach, K. Eck, J. Bredno, S. Grzybowski, and H. G. Machens, "Vessel segmentation for angiographic enhancement and analysis," in *Bildverarbeitung für die Medizin 2005: Algorithmen, Systeme, Anwendungen*, T. Tolxdorff, T. Lehmann, and H. Handels, Eds. Berlin: Springer Verlag (Informatik aktuell), March 29 - 30 2004, pp. 5–9.
- [138] B. Martin-Leung, K. Eck, J. Bredno, and T. Aach, "X-IVUS: Integrated x-ray and IVUS system for the cathlab," in *Medical Imaging 2005: Visualization, Image Guided Procedures and Display*, R. L. Galloway and K. R. Cleary, Eds. San Diego, USA: SPIE Vol. 5744, February 12–17 2005, pp. 378–387.
- [139] A. Condurache, T. Aach, K. Eck, J. Bredno, and T. Stehle, "Fast and robust diaphragm detection and tracking in cardiac x-ray projection images," in *Medical Imaging 2005: Image Processing*, J. M. Fitzpatrick and J. M. Reinhardt, Eds. San Diego, USA: SPIE Vol. 5747, February 12–17 2005, pp. 1766–1775.
- [140] J. Wiegert, M. Bertram, G. Rose, and T. Aach, "Model based scatter correction for cone-beam computed tomography," in *Medical Imaging 2005: Physics of Medical Imaging*, M. J. Flynn, Ed. San Diego, USA: SPIE Vol. 5745, February 12–17 2005, pp. 271–282.
- [141] C. Kier, D. Toth, K. Meyer-Wiethe, A. Schindler, G. Seidel, and T. Aach, "Cerebral perfusion imaging with bolus harmonic imaging," in *Medical Imaging 2005: Ultrasonic Imaging and Signal Processing*, W. F. Walker and S. Emelianov, Eds. San Diego, USA: SPIE Vol. 5750, February 12–17 2005, pp. 437–446, **SPIE Honorable Mention Poster Award**.
- [142] C. Mota, I. Stuke, T. Aach, and E. Barth, "Divide-and-conquer strategies for estimating multiple transparent motions," in *1st International Workshop on Complex Motion (IWCM)*. Guenzburg: Springer LNCS Vol. 3417, Oct. 12–14 2004, pp. 66–77.

- [143] S. Grzybowski, B. Bucsky, B. Stoeckelhuber, T. Aach, A. Condurache, W. Lindenmaier, P. Mailaender, and H. Machens, "Model for induction of angiogenesis by synergetic effects of BFGF and VEGF¹⁶⁵ by bioactive dermal matrices," *Langenbeck's Archives of Surgery*, vol. 389, no. 10, p. 446, 2004.
- [144] S. Grzybowski, B. Bucsky, B. Stoeckelhuber, T. Aach, A. Condurache, P. Mailaender, and H. Machens, "A microangiography technique to quantify fasciocutaneous blood vessels in small laboratory animals," *Langenbeck's Archives of Surgery*, vol. 389, no. 10, p. 451, 2004.
- [145] G. Seidel, C. Kier, K. Meyer-Wiethe, D. Toth, A. Schindler, and T. Aach, "Sonografische Parameterbilder zur Darstellung der Hirnperfusion bei Patienten mit akutem Hirninfarkt," *Aktuelle Neurologie*, vol. 31, p. S1, 2004.
- [146] T. Aach, "Quantitative comparison of shift variance and cyclostationarity in multirate filter banks," in *International Workshop on Spectral Methods and Multirate Signal Processing (SMMSP)*, T. Saramäki, K. Egiazarian, and J. Astola, Eds. Vienna: TICSP Series, ISBN: 952-15-1229-6 (print), 952-15-1241-5 (CD-ROM), Sept. 11 – 12 2004, pp. 7–14.
- [147] C. Mota, I. Stuke, T. Aach, and E. Barth, "Estimation of multiple orientations at corners and junctions," in *DAGM04: 26th Pattern Recognition Symposium*, German Association for Pattern Recognition. Tuebingen: Springer Verlag: LNCS 3175, Aug. 30 – Sept. 1 2004, pp. 163–170.
- [148] C. Mota, T. Aach, I. Stuke, and E. Barth, "Estimation of multiple orientations in multi-dimensional signals," in *IEEE International Conference on Image Processing (ICIP)*. Singapore: IEEE, Oct. 24–27 2004, pp. 2665–2668, and on CD-ROM: ISBN 0-7803-8555-1.
- [149] T. Aach, "Shift variance and cyclostationarity in multirate filter banks," in *6th Nordic Signal Processing Symposium (NORSIG)*. Meripuisto, Espoo: IEEE, ISBN: 951-22-7065-X (print), 951-22-7031-5 (CD-ROM), 951-22-7032-3 (Web, <http://www.wooster.hut.fi/publications/norsig2004>), June 9–11 2004, pp. 85–88.
- [150] M. Bertram, G. Rose, D. Schäfer, J. Wiegert, and T. Aach, "Directional interpolation of sparsely sampled cone-beam CT sinogram data," in *Proceedings IEEE International Symposium on Biomedical Imaging (ISBI)*. Arlington, VA: IEEE, April 15–18 2004, pp. 928–931.
- [151] D. Toth, I. Stuke, A. Wagner, and T. Aach, "Detection of moving shadows using mean shift clustering and a significance test," in *17th International Conference on Pattern Recognition (ICPR)*. Cambridge, UK: IEEE Computer Society, ISBN: 0-7695-2128-2 (CD-ROM), Sept. 23–26 2004, pp. (CD-ROM).
- [152] T. Aach, I. Stuke, C. Mota, and E. Barth, "Estimation of multiple local orientations in image signals," in *Proceedings ICASSP-2004*. Montreal: IEEE, May 17–21 2004, pp. III 553–556.
- [153] I. Stuke, T. Aach, E. Barth, and C. Mota, "Analysing superimposed oriented patterns," in *6th IEEE Southwest Symposium on Image Analysis and Interpretation*. Lake Tahoe, NV: IEEE Computer Society, March 28–30 2004, pp. 133–137.
- [154] C. Thies, V. Metzler, T. Lehmann, and T. Aach, "Formal extraction of biomedical objects by subgraph matching in attributed hierarchical region adjacency graphs," in *Medical Imaging 2004: Image Processing*, J. M. Fitzpatrick and M. Sonka, Eds. San Diego, USA: SPIE Vol. 5370, February 14–19 2004, pp. 1498–1508.
- [155] T. Aach, A. Condurache, K. Eck, and J. Bredno, "Statistical-model based identification of complete vessel-tree frames in coronary angiograms," in *Electronic Imaging 2004: Computational*

- Imaging II*, C. A. Bouman and E. L. Miller, Eds. San Jose, USA: SPIE Vol. 5299, January 18–22 2004, pp. 283–294.
- [156] A. Condurache, T. Aach, K. Eck, and J. Bredno, “Fast detection and processing of arbitrary contrast agent injections in coronary angiography and fluoroscopy,” in *Bildverarbeitung für die Medizin 2004: Algorithmen, Systeme, Anwendungen*, T. Tolxdorff, T. Lehmann, and H. Handels, Eds. Berlin: Springer Verlag (Informatik aktuell), March 29 - 30 2004, pp. 5–9.
 - [157] I. Stuke, T. Aach, E. Barth, and C. Mota, “Estimation of multiple motions by block matching using Markov random fields,” in *Electronic Imaging 2004: Visual Communications and Image Processing*, S. Panchanathan and B. Vasudev, Eds. San Jose, USA: SPIE Vol. 5308, January 18–22 2004, pp. 486–496.
 - [158] T. Aach, E. Barth, and C. Mayntz, “Motion-compensated defect interpolation for flat-panel detectors,” in *Medical Imaging 2004: Image Processing*, J. M. Fitzpatrick and M. Sonka, Eds. San Diego, USA: SPIE Vol. 5370, February 14–19 2004, pp. 1352–1363.
 - [159] J. Wiegert, T. Aach, G. Rose, D. Schaefer, M. Bertram, N. Conrads, and J. Timmer, “Performance of standard fluoroscopy anti-scatter grids in flat panel based cone beam CT,” in *Medical Imaging 2004: Physics of Medical Imaging*, M. J. Yaffe and M. J. Flynn, Eds. San Diego, USA: SPIE Vol. 5368, February 14–19 2004, pp. 67–78.
 - [160] J. Wiegert, G. Rose, D. Schaefer, M. Bertram, N. Conrads, T. Aach, and N. Nordhoek, “Soft tissue contrast resolution within the head of human cadaver by means of flat panel based cone beam CT,” in *Medical Imaging 2004: Physics of Medical Imaging*, M. J. Yaffe and M. J. Flynn, Eds. San Diego, USA: SPIE Vol. 5368, February 14–19 2004, pp. 330–337.
 - [161] I. Stuke, T. Aach, E. Barth, and C. Mota, “Estimation of multiple motions by block matching,” in *4th ACIS International Conference on Software Engineering, Artificial Intelligence, Networking and Parallel/Distributed Computing (SNPD 2003)*. Luebeck: ACIS, ISBN:0-9700776-7-x, October 16–18 2003, pp. 358–362.
 - [162] T. Aach, “Shift variance in multiscale filtering,” in *International Workshop on Spectral Methods and Multirate Signal Processing (SMMSP)*, T. Saramäki, K. Egiazarian, and J. Astola, Eds. Barcelona, Spain: TICSP Series, ISBN: 952-15-1062-5, September 13–14 2003, pp. 23–30.
 - [163] D. Toth and T. Aach, “Detection and recognition of moving objects using statistical motion detection and fourier descriptors,” in *12th International Conference on Image Analysis and Processing (ICIAP)*, I. 0-7695-1948-2, Ed. Mantova: IEEE Computer Society, September 17–19 2003, pp. 430–435.
 - [164] E. Barth, I. Stuke, T. Aach, and C. Mota, “Spatio-temporal motion estimation for transparency and occlusions,” in *Proceedings IEEE International Conference on Image Processing (ICIP)*, I. 0-7803-7751-6, Ed. Barcelona: IEEE, September 14–17 2003, pp. –.
 - [165] T. Aach, D. Toth, and R. Mester, “Motion estimation in varying illumination using a total least squares distance measure,” in *Picture Coding Symposium*, Saint Malo, France, April 23–25 2003, pp. 145–148.
 - [166] I. Stuke, T. Aach, C. Mota, and E. Barth, “Estimation of multiple motions: Regularization and performance evaluation,” in *Electronic Imaging 2003*, B. Vasudev, T. Ebrahimi, T. R. Hsing, and A. G. Tescher, Eds. Santa Clara, USA: SPIE Vol. 5022, January 2003, pp. 75–86.

- [167] —, “Linear and regularized solutions for multiple motions,” in *International Conference on Acoustics, Speech, and Signal Processing (ICASSP) 2003*. Hong Kong: IEEE, April 6–10 2003, pp. III 157–160.
- [168] B. Martin-Leung, K. Eck, I. Stuke, J. Bredno, and T. Aach, “Mutual information based respiration detection,” in *Proc. 17th International Congress on Computer Assisted Radiology and Surgery (CARS)*. London: Elsevier, June 25–28 2003, pp. 1085–1092.
- [169] K. Eck, H. Fillbrandt, G. Kiefer, and T. Aach, “Implementation of a nonlinear gradient-adaptive filter for processing of large-size medical sequences on a general-purpose hardware,” in *Electronic Imaging 2003*, N. Kehtarnavaz and P. A. Laplante, Eds. Santa Clara, USA: SPIE Vol. 5012, January 2003, pp. 61–70.
- [170] D. Kunz, K. Eck, H. Fillbrandt, and T. Aach, “A nonlinear multi-resolution gradient-adaptive filter for medical images,” in *SPIE Medical Imaging 2003*, M. Sonka and J. M. Fitzpatrick, Eds. Santa Diego, USA: SPIE Vol. 5032, February 2003, pp. 732–742.
- [171] V. Metzler, G. Seidel, M. Wiesmann, K. Meyer, and T. Aach, “Perfusion harmonic imaging of the human brain,” in *SPIE Medical Imaging 2003*, W. F. Walker and M. F. Insana, Eds. Santa Diego, USA: SPIE Vol. 5035, February 2003, pp. 337–348.
- [172] C. Thies, V. Metzler, and T. Aach, “Content-based image analysis: Object extraction by data-mining on hierchically decomposed medical images,” in *SPIE Medical Imaging 2003*, M. Sonka and J. M. Fitzpatrick, Eds. Santa Diego, USA: SPIE Vol. 5032, February 2003, pp. 579–589.
- [173] O. Schmitt, M. Pakura, T. Aach, W. Heide, and D. Kömpf, “Kartierung neuronaler Faserprozesse,” *Ann. Anat. (Suppl.)*, vol. 185, pp. 116–117, 2003.
- [174] T. Aach, “Multiscale processing in medical x-ray imaging,” in *International Workshop on Spectral Methods and Multirate Signal Processing (SMMSP)*, T. Saramäki, K. Egiazarian, and J. Astola, Eds. Toulouse, France: TICSP Series, ISBN:952-15-0881-7, September 7–8 2002, pp. 187–194.
- [175] I. Stuke, S. Mollus, A. Condurache, K. Eck, and T. Aach, “Cardio dynamic subtraction angiography (CDSA),” in *Proceedings 2nd EMBS-BMES Conference*. Houston, TX: IEEE, October 23-26 2002, pp. 915–916.
- [176] S. Klein, H. Frankenberger, T. Aach, and E. Konecny, “The new joint master-program medical technology in luebeck,” in *Proceedings 2nd IFMBE European Medical and Biological Engineering Conference (EMBE-02)*. Vienna: IFMBE, December 2002, pp. 684–685.
- [177] D. Toth, A. Condurache, and T. Aach, “A two-stage-classifier for defect classification in optical media inspection,” in *International Conference on Pattern Recognition*, R. Kasturi, D. Laurendeau, and C. Suen, Eds. Quebec City, Canada: IEEE, August 11–15 2002, pp. 373–376.
- [178] T. Aach, C. Mayntz, P. Rongen, G. Schmitz, and H. Stegehuis, “Spatiotemporal multiscale vessel enhancement for coronary angiograms,” in *Medical Imaging 2002*, M. Sonka and J. M. Fitzpatrick, Eds. San Diego, USA: SPIE Vol. 4684, February 22–28 2002, pp. 1010–1021, **SPIE Cum Laude Poster Award**.
- [179] M. Pakura, O. Schmitt, and T. Aach, “Segmentation and analysis of nerve fibers in histologic sections of the cerebral human cortex,” in *5th IEEE Southwest Symposium on Image Analysis and Interpretation*. Santa Fe, NM: IEEE Computer Society, April 7 - 9 2002, pp. 62–66.

- [180] V. Metzler, T. Aach, and C. Thies, "A novel object-oriented approach to image analysis and retrieval," in *5th IEEE Southwest Symposium on Image Analysis and Interpretation*. Santa Fe, NM: IEEE Computer Society, April 7–9 2002, pp. 14–18.
- [181] V. Metzler, C. Thies, T. Lehmann, and T. Aach, "Object-oriented image analysis by evaluating the causal hierarchy of a partitioned reconstructive scale-space," in *Mathematical Morphology: Proceedings of the 6th International Symposium (ISMM-2002)*. Collingwood, Australia: CSIRO Publishing, Sydney, April 3–5 2002, pp. 265–276.
- [182] C. Thies, V. Metzler, T. Lehmann, and T. Aach, "Objektorientierte Inhaltsbeschreibung hierarchisch partitionierter medizinischer Bilder," in *Bildverarbeitung für die Medizin 2002: Algorithmen, Systeme, Anwendungen*, M. Meiler, D. Saupe, F. Kruggel, H. Handels, and T. Lehmann, Eds. Leipzig: Springer Verlag (Informatik aktuell), March 2002, pp. 15–18.
- [183] R. Mester, T. Aach, and L. Dümbgen, "Illumination-invariant change detection using a statistical colinearity criterion," in *23. Symposium für Mustererkennung (DAGM)*. München: LNCS 2191, B. Radig, S. Florczyk (eds.), September 12–14 2001, pp. 170–177.
- [184] T. Aach, L. Dümbgen, and R. Mester, "Bayesian illumination invariant change detection using a total least squares test statistic," in *Actes/Proceedings 18e Colloque GRETSI sur le Traitement du Signal et des Images*, Toulouse, France, Septembre 10–13 2001, pp. 587–590.
- [185] T. Aach, "Missing data interpolation by transform-based successive approximation," in *International Workshop on Spectral Methods and Multirate Signal Processing (SMMSP)*, T. Saramäki, K. Egiazarian, and J. Astola, Eds. Pula, Croatia: TICSP Series, ISBN:952-15-0633-4, June 16 – 18 2001, pp. 3–10.
- [186] T. Aach, L. Dümbgen, R. Mester, and D. Toth, "Bayesian illumination-invariant motion detection," in *Proceedings IEEE International Conference on Image Processing (ICIP), Vol. III*, I. 0-7803-6725-1, Ed. Thessaloniki: IEEE, October 7–10 2001, pp. 640–643.
- [187] T. Aach and V. Metzler, "Defect interpolation in digital radiography - how object-oriented transform coding helps," in *Medical Imaging 2001*, M. Sonka and K. M. Hanson, Eds. San Diego, USA: SPIE Vol. 4322, February 17–22 2001, pp. 824–835.
- [188] D. Toth and T. Aach, "Improved minimum distance classification with Gaussian outlier detection for industrial inspection," in *11th International Conference on Image Analysis and Processing (ICIAP)*, E. Ardizzone and V. D. Gesu, Eds., Palermo, September 26–28 2001, pp. 584–588.
- [189] C. Mayntz, T. Aach, and G. Schmitz, "Acceleration and evaluation of block-based motion estimation for x-ray fluoroscopy," in *Medical Imaging 2001*, M. Sonka and K. M. Hanson, Eds. San Diego, USA: SPIE Vol. 4322, February 17–22 2001, pp. 1075–1083.
- [190] V. Metzler, M. Puls, and T. Aach, "Denoising of ultrasound sector scans by nonlinear filtering of a linear and a morphological ratio pyramid," in *Medical Imaging 2001*, M. Sonka and K. M. Hanson, Eds. San Diego, USA: SPIE Vol. 4322, February 17–22 2001, pp. 480–491.
- [191] V. Metzler, G. Seidel, D. Toth, L. Claassen, and T. Aach, "Schnelle Messung der lokalen Hirnperfusion mit Ultraschall zur Diagnoseunterstützung bei zerebrovaskulären Erkrankungen," in *Bildverarbeitung für die Medizin 2001: Algorithmen, Systeme, Anwendungen*, H. Handels, A. Horsch, T. Lehmann, and H. Meinzer, Eds. Lübeck: Springer Verlag (Informatik aktuell), March 4–6 2001, pp. 280–284.

- [192] V. Metzler, G. Seidel, K. Meyer, and T. Aach, "Computing brain perfusion images by estimating local cerebral blood flow from harmonic imaging sequences," *Cerebrovascular Diseases*, vol. 11, no. suppl. 3: Abstracts of Oral Presentations, p. 50, 2001.
- [193] K. Meyer, V. Metzler, G. Seidel, D. Toth, and T. Aach, "Human cerebral perfusion analysis with ultrasound contrast agent constant infusion - a pilot study on healthy volunteers using transcranial grey-scale harmonic imaging technique," in *6th European Symposium on Ultrasound Contrast Imaging*, Rotterdam, NL, January 25–26 2001, p. (in press).
- [194] C. Thies, V. Metzler, T. Lehmann, and T. Aach, "Ein regionenbasiertes morphologisches Multiskalenverfahren zur Segmentierung medizinischer Bilder," in *Bildverarbeitung für die Medizin 2001: Algorithmen, Systeme, Anwendungen*, H. Handels, A. Horsch, T. Lehmann, and H. Meinzer, Eds. Lübeck: Springer Verlag (Informatik aktuell), March 4–6 2001, pp. 212–216.
- [195] T. Aach, "Transform-based denoising and enhancement in medical x-ray imaging," in *European Signal Processing Conference*, M. Gabbouj and P. Kuosmanen, Eds. Tampere, Finland: EURASIP, September 3–8 2000, pp. 1085–1088.
- [196] —, "Spectral-domain based anisotropic image restoration using Fourier and lapped transforms," in *Second International Workshop on Transforms and Filterbanks, 1999*, R. Creutzburg and J. Astola, Eds. Tampere, Finland: Tampere International Center for Signal Processing, March 2000, pp. 559–570.
- [197] C. Mayntz and T. Aach, "Motion blur in fluoroscopy: Effects, identification, and restoration," in *Medical Imaging 2000: Image Processing*, K. M. Hanson, Ed. San Diego, USA: SPIE Vol. 3979, February 12–17 2000, pp. 618–629.
- [198] C. Mayntz, J.-M. Frahm, T. Aach, and G. Schmitz, "Beschleunigung und Bewertung blockbasierter Bewegungsschätzmethoden für die Röntgenfluoroskopie," in *Mustererkennung 2000*. Berlin: Springer Verlag (Informatik aktuell), Sept. 10–15 2000, pp. –.
- [199] V. Metzler, T. Lehmann, and T. Aach, "Morphological multiscale shape analysis of light micrographs," in *Nonlinear Image Processing XI*, E. R. Dougherty and J. T. Astola, Eds. San Jose, USA: SPIE Vol. 3961, January 24–25 2000, pp. 227–238.
- [200] V. Metzler, M. Puls, and T. Aach, "Restoration of ultrasound images by nonlinear scale-space filtering," in *Nonlinear Image Processing XI*, E. R. Dougherty and J. T. Astola, Eds. San Jose, USA: SPIE Vol. 3961, January 24–25 2000, pp. 69–80.
- [201] V. Metzler, G. Seidel, D. Toth, L. Claassen, and T. Aach, "Quantitative Messung der Hirnperfusion in intrakraniellen Ultraschall-Bildsequenzen," in *Bildverarbeitung für die Medizin 2000: Algorithmen, Systeme, Anwendungen*, A. Horsch and T. Lehmann, Eds. München: Springer Verlag (Informatik aktuell) ISBN: 3-540-67123-4, March 12 - 14 2000, pp. 309–313.
- [202] V. Metzler, G. Seidel, D. Toth, M. Wiessmann, L. Claassen, and T. Aach, "Messung der zerebralen Mikrozirkulation mit intrakranieller Harmonic-Imaging Bildgebung," in *43. Jahrestagung Biomedizinische Technik: Biomedizinische Technik 45, Ergänzungsband 1*, Lübeck, September 28.–30. 2000, pp. 63–64.
- [203] V. Metzler, C. Palm, T. Lehmann, and T. Aach, "Texture classification of greylevel images by multiscale cross-cooccurrence matrices," in *Proceedings IEEE International Conference on Pattern Recognition (ICPR)*, Barcelona, Spain, September 3–7 2000, pp. 549–552.

- [204] D. Toth, T. Aach, and V. Metzler, "Illumination-invariant change detection," in *4th IEEE Southwest Symposium on Image Analysis and Interpretation*. Austin, TX: IEEE Computer Society, April 2 - 4 2000, pp. 3–7.
- [205] —, "Bayesian spatio-temporal motion detection under varying illumination," in *European Signal Processing Conference*, M. Gabbouj and P. Kuosmanen, Eds. Tampere, Finland: EURASIP, September 3-8 2000, pp. 2081–2084.
- [206] C. Mayntz, T. Aach, and D. Kunz, "Blur identification using a spectral inertia tensor and spectral zero crossings," in *Proceedings ICIP-99*. Kobe, Japan: IEEE, October 25–28 1999, pp. –.
- [207] C. Mayntz and T. Aach, "Nichtlineare Bayes-Restauration mittels eines verallgemeinerten Gauss-Markov-Modells," in *Mustererkennung 1999*, W. Förstner and J. Buhmann, Eds. Berlin: Springer Verlag (Informatik aktuell), Sept. 15–17 1999, pp. 111–119.
- [208] S. Dippel, M. Stahl, T. Aach, T. Buzug, R. Wiemker, U. Neitzel, E. Müller, and J. P. Haas, "Rauschrobuste Verbesserung schwacher Strukturen in digitalen Radiographien durch nichtlineare Multiskalenfilterung," in *Bildverarbeitung für die Medizin 1999: Algorithmen, Systeme, Anwendungen*, H. Evers, G. Glombitza, T. Lehmann, and H.-P. Meinzer, Eds. Heidelberg: Springer Verlag (Informatik aktuell), March 4 - 6 1999, pp. 21–25.
- [209] E. Müller, T. Aach, T. Buzug, S. Dippel, U. Neitzel, M. Stahl, R. Wiemker, and J.-P. Haas, "First clinical experience with noise-resistant non-linear multiscale processing," in *European Congress on Radiology*. Wien: Book of Abstracts, March 1999.
- [210] D. Kunz and T. Aach, "Lapped directional transform: A new transform for spectral image analysis," in *Proceedings ICASSP-99*. Phoenix, AZ: IEEE, March 15–19 1999, pp. 3433–3436.
- [211] M. Stahl, T. Aach, S. Dippel, T. Buzug, R. Wiemker, and U. Neitzel, "Noise-resistant weak-structure enhancement for digital radiography," in *SPIE Medical Imaging 99: Image Processing*, K. M. Hanson, Ed. San Diego, USA: SPIE Vol. 3661, February 20–26 1999, pp. 1406–1417, **SPIE Honorable Mention Poster Award**.
- [212] T. Aach, "Spectral transform-based nonlinear restoration of medical images: Algorithms and a comparative evaluation," in *IS&T/SPIE Electronic Imaging: Nonlinear Image Processing X*, E. R. Dougherty and J. T. Astola, Eds. San Jose, USA: SPIE Vol. 3646, January 23–29 1999, pp. 270–280.
- [213] —, "Edge-preserving MAP-estimation of motion vector fields in noisy low-dose x-ray image sequences," in *SPIE International Symposium on Optical Science, Engineering, and Instrumentation: Applications of Digital Image Processing XXI*, A. G. Tescher, Ed. San Diego, USA: SPIE Vol. 3460, July 19–24 1998.
- [214] T. Aach and D. Kunz, "Spectral amplitude estimation-based x-ray image restoration: An extension of a speech enhancement approach," in *Proceedings EUSIPCO-98*, S. Theodoridis, I. Pitas, A. Stouraitis, and N. Kalouptsidis, Eds. Patras: Typorama, September 5–9 1998, pp. 323–326.
- [215] —, "Robust motion vector relaxation for x-ray fluoroscopy using generalized Gauss-Markov random fields," in *Proceedings Aachener Workshop: Bildverarbeitung in der Medizin 1998: Algorithmen, Systeme, Anwendungen*, T. Lehmann, V. Metzler, K. Spitzer, and T. Tolxdorff, Eds. Aachen: Springer Verlag (Informatik aktuell) ISBN: 3-540-63885-7, March 26 - 27 1998, pp. 19–23.

- [216] —, “Spectral magnitude-based approaches to noise reduction and enhancement in low-dose x-ray images,” in *Workshop: Spectral Methods in Medical Signal Processing*, (vervielfältigt), Ed. Neuherberg: GSF-Forschungszentrum, February 25 - 28 1998, pp. 14–15.
- [217] —, “Spektrale betragsschätzung als methode zur rauschunterdrückung in röntgenbildern,” in *Mustererkennung 1997*, E. Paulus and F. M. Wahl, Eds. 19. DAGM-Symposium, Braunschweig: Springer Verlag, Berlin, 18.–20. September 1997, pp. 553–560.
- [218] —, “X-ray image restoration by spectral amplitude estimation as an extension of a speech enhancement approach,” in *Proceedings 9. Aachener Symposium on Signal Theory*, B. Hill, M. Junggeburch, and F. W. Vorhagen, Eds. Aachen: Institut für Technische Elektronik, RWTH Aachen, ISBN: 3-923219-10-5, 18.–20. March 1997, pp. 75–80.
- [219] T. Aach, D. Kunz, R. Florent, and S. Makram-Ebeid, “Noise reduction and image enhancement algorithms for low-dose x-ray fluoroscopy,” in *Proceedings Aachener Workshop: Image Processing in Medicine – Algorithms, Systems, Applications*, T. Lehmann, I. Scholl, and K. Spitzer, Eds. Aachen: Verlag der Augustinus Buchhandlung, ISBN: 3-86073-519-5, November 8–9 1996, pp. 95–100.
- [220] T. Aach, U. Schiebel, and G. Spekowius, “Digital image acquisition and processing for medical x-ray imaging applications,” in *Proceedings ISEP-96 (invited paper)*. Cologne, Germany: IS&T, September 21–22 1996, pp. 82–90.
- [221] T. Aach and D. Kunz, “Anisotropic spectral magnitude estimation filters for noise reduction and image enhancement,” in *Proceedings ICIP-96*. Lausanne, Switzerland: IEEE, September 16–19 1996, pp. 335–338.
- [222] —, “Spectral estimation filters for noise reduction in x-ray fluoroscopy imaging,” in *Proceedings EUSIPCO-96*, G. Ramponi, G. L. Sicuranza, S. Carrato, and S. Marsi, Eds. Trieste, Italy: Edizioni LINT Trieste, September 10–13 1996, pp. 571–574.
- [223] A. Kaup and T. Aach, “A stochastic model for image segmentation involving constrained least squares estimation,” in *Proceedings 1994 IEEE International Symposium on Information Theory*, Trondheim, June 1994, p. 389.
- [224] —, “Efficient prediction of uncovered background in interframe coding using spatial extrapolation,” in *Proceedings ICASSP 94*, Adelaide, Australia, April 1994, pp. V501–504.
- [225] —, “Segment-oriented coding of textured images based on successive approximation,” in *Proceedings 1994 International Symposium on Speech, Image Processing and Neural Networks*. Hong Kong Chapter: IEEE, April 1994, pp. 197–200.
- [226] —, “Uncovered background prediction in an object-oriented video coding environment,” in *Proceedings International Workshop on Coding Techniques for Very Low Bit-rate Video*. Colchester, UK: University of Essex, April 1994, p. paper 3.2.
- [227] T. Aach, A. Kaup, and R. Mester, “Change detection in image sequences using Gibbs random fields,” in *Proceedings International Workshop on Intelligent Signal Processing and Communication Systems*. Sendai, Japan: IEEE, October 1993, pp. 56–61.
- [228] A. Kaup and T. Aach, “Stochastic model-based image segmentation using functional approximation,” in *Proceedings International Workshop on Intelligent Signal Processing and Communication Systems*. Sendai, Japan: IEEE, October 1993, pp. 376–381.

- [229] —, “Modelling the visual process of ‘Filling In’ based on localised spectral image analysis,” in *Perception vol. 22 supplement: Proceedings 16th European Conference on Visual Perception*, August 1993, p. 52.
- [230] —, “Region-based image coding using functional approximation,” in *Proceedings Picture Coding Symposium 93*, Lausanne, March 1993.
- [231] —, “A spatial-frequency selective approach for modelling the phenomenon of perceptual ‘Filling In’ in Human Vision,” in *Image Processing: Theory and Applications*, G. Vernazza, A. N. Venetsanopoulos, and C. Braccini, Eds. San Remo, Italy: Elsevier, June 1993, pp. 369–372.
- [232] T. Aach and A. Kaup, “Estimation of physical disparity fields and their discontinuities for stereoscopic images,” in *European Workshop on 3D-TV Signal Processing: “From Capture to Display”*, Rennes, France, November 1992.
- [233] —, “MAP-Estimation of dense disparity-fields for stereoscopic images,” in *Proceedings 2nd Singapore Int’l. Conf. on Image Processing*, Singapore, September 1992, pp. 113–117.
- [234] A. Kaup and T. Aach, “Ein approximationstheoretischer Ansatz zur effizienten Texturanalyse,” in *Informatik aktuell*, S. Fuchs and R. Hoffmann, Eds., Mustererkennung 1992. Dresden: Springer, September 1992, pp. 206–213.
- [235] —, “A new approach towards description of arbitrarily shaped image segments,” in *Proceedings International Workshop on Intelligent Signal Processing and Communication Systems*. Taipei, Taiwan: IEEE, Mar 1992, pp. 543–553.
- [236] T. Aach, A. Kaup, and R. Mester, “A statistical framework for change detection in image sequences,” in *Proceedings 13ième Colloque GRETSI*, Juan-Les-Pins, France, September 1991, pp. 1149–1152.
- [237] T. Aach and A. Kaup, “Partitioning of stereoscopic sequences by evaluation of stereo disparity and temporal change detection,” in *Proceedings Picture Coding Symposium 91*, Tokyo, Japan, September 1991, pp. 443–446.
- [238] A. Kaup and T. Aach, “Variable blocksize transform coding of four-color printed images,” in *Proceedings Visual Communications and Image Processing 91: Visual Communication*, vol. 1605. Boston, USA: SPIE, October 1991, pp. 420–427.
- [239] —, “DSP-based compression of four-color printed images,” in *Proc. International Conference on DSP Applications and Technology*. Berlin, FRG: DSP Associates, October 1991, pp. 422–425.
- [240] T. Aach and A. Kaup, “Disparity-based segmentation of stereoscopic images,” in *Proceedings 2nd Workshop on Stereoscopic Television*, Darmstadt, FRG, September 1990.
- [241] T. Aach and H. Dawid, “Region oriented 3D-segmentation of NMR-datasets: A statistical model-based approach,” in *Proceedings Visual Communications and Image Processing 90*, M. Kunt, Ed., vol. 1360. Lausanne, Switzerland: SPIE, October 1990, pp. 690–701.
- [242] T. Aach, A. Kaup, and R. Mester, “Combined displacement estimation and segmentation of stereo image pairs based on Gibbs random fields,” in *Proceedings ICASSP 90*, Albuquerque, NM, USA, April 1990, pp. 2301–2304.
- [243] R. Sottek, K. Illgner, and T. Aach, “An efficient approach to extrapolation and spectral analysis of discrete signals,” in *Informatik Fachberichte 253*, W. Ameling, Ed., ASST 90. Aachen, FRG: Springer Verlag, September 1990, pp. 103–108.

- [244] T. Aach, H. Dawid, and R. Mester, "3D-Segmentierung von Kernspintomogrammen unter Verwendung eines stochastischen Objektformmodelles," in *Medizinische Informatik und Statistik 71*, G. Giani and R. Repges, Eds., 34. Jahrestagung der GMDS. Aachen, FRG: Springer Verlag, September 1989, pp. 306–309.
- [245] T. Aach, U. Franke, and R. Mester, "Top-down image segmentation using object detection and contour relaxation," in *Proceedings ICASSP 89*, Glasgow, UK, May 1989, pp. 1703–1706.
- [246] R. Mester, U. Franke, and T. Aach, "Progress in modelling natural images," in *Stochastische Modelle und Methoden in der Informationstechnik*, ITG Fachbericht 107. Nürnberg, FRG: VDE-Verlag, April 1989, pp. 29–34.
- [247] T. Aach, R. Mester, and U. Franke, "From texture energy measures to quadrature filter pairs – A system theoretical view of texture feature extraction," in *Signal Processing IV: Theories and Applications*, J. L. Lacoume, A. Chehikian, N. Martin, and J. Malbos, Eds., EUSIPCO 88. Grenoble, France: Elsevier Science Publishers, September 1988, pp. 827–830.
- [248] U. Franke, R. Mester, and T. Aach, "Constrained iterative restoration techniques: A powerful tool in region based texture coding," in *Signal Processing IV: Theories and Applications*, J. L. Lacoume, A. Chehikian, N. Martin, and J. Malbos, Eds., EUSIPCO 88. Grenoble, France: Elsevier Science Publishers, September 1988, pp. 1145–1148.
- [249] R. Mester, T. Aach, and U. Franke, "Image segmentation using likelihood ratio tests and Markov region shape models," in *Signal Processing IV: Theories and Applications*, J. L. Lacoume, A. Chehikian, N. Martin, and J. Malbos, Eds., EUSIPCO 88. Grenoble, France: Elsevier Science Publishers, September 1988, pp. 837–840.
- [250] R. Mester, U. Franke, and T. Aach, "Segmentation of image pairs and sequences by contour relaxation," in *Informatik-Fachberichte 180*, H. Bunke, O. Kübler, and P. Stucki, Eds., Mustererkennung 1988. Zürich, Switzerland: Springer, September 1988, pp. 104–110, **DAGM-Anerkennungspreis 1988**.

5 Others

References

- [1] T. Deserno, T. Aach, K. Amunts, W. Hillen, T. Kuhlen, and I. Scholl, "Advances in medical image processing - a special issue on the workshop in Aachen, Germany, March 2010," *Computer Science - Research and Development*, vol. 26, pp. 1–3, 2011, 10.1007/s00450-010-0142-0. [Online]. Available: <http://www.springerlink.com/content/pm13h681wm875447/fulltext.pdf>
- [2] T. Aach and A. Behrens, "Freshman engineers build MATLAB powered LEGO robots," *Matlab Digest, Academic Edition*, vol. August, pp. 1–4, 2008.
- [3] T. Aach and J. Brauers, "Hochdynamisch und multispektral - Präzisions-Farbmessungen mit erweitertem Dynamikbereich," *Industrial Vision (ISSN: 0936-692x)*, vol. 1, pp. 42–43, 2008.
- [4] T. Aach, F. Gilmer, M. Mühlich, K. Nagel, H. Scharr, U. Schurr, D. Truhn, and A. Walter, "Wie Pflanzen Wurzeln schlagen: Digitale Bildanalyse macht Wurzel-Wachstum messbar," *RWTH Themen (ISSN: 0179-079X)*, vol. 1, pp. 36–38, 2008.

- [5] T. Aach, A. Bell, A. Böcking, D. Meyer-Ebrecht, T. Schneider, and T. Würflinger, “Digitale Bildanalyse ermöglicht neue Methoden der Krebsdiagnostik,” *RWTH Themen (ISSN: 0179-079X)*, vol. 2, pp. 8–11, 2006.
- [6] S. Klein, H. Frankenberger, T. Aach, and E. Konecny, “Der neue gemeinsame Master-Studiengang Medical Technology,” *mt-Medizintechnik*, vol. 3, pp. 89–91, 2003.
- [7] O. Schmitt, E. Mecke, P. Lau, U. Almert, S. Bock, M. Böhme, M. Pakura, T. Aach, L. Hömke, E. Reusche, W. Heide, D. Kömpf, and L. Dümbgen, “Parameterkarten neuronaler Faserprozesse im menschlichen Cortex cerebri,” *FOCUS MUL - Zeitschrift für Wissenschaft, Forschung und Lehre an der Universität zu Lübeck*, vol. 12. Jahrgang, no. Heft 2, ISSN 0940-9998, pp. 74–81, 2002.
- [8] T. Aach, “Von der Bildkommunikation zur (medizinischen) Bildverarbeitung,” *FOCUS MUL - Zeitschrift für Wissenschaft, Forschung und Lehre an der Medizinischen Universität zu Lübeck*, vol. 17. Jahrgang, no. Heft 3, ISSN 0940-9998, pp. 142–152, 2000.
- [9] T. Aach and G. Hauske, “Laudatio: Hans Dieter Lücke turns 65,” *Signal Processing*, vol. 80, no. 11, pp. 2265–2266, 2000.
- [10] T. Aach, *Untersuchungen zur texturorientierten Segmentierung von Bildvorlagen*. RWTH Aachen: Institut für Elektrische Nachrichtentechnik, 1987, Diplomarbeit (**Springorum Denkmünze der RWTH Aachen**).

6 Patents

References

- [1] A. Behrens and T. Aach, “Verfahren zum Darstellen der Innenfläche eines Hohlorgans,” World Patent WO2009/121 504A1, Mar 08.10.2009, 2009.
- [2] —, “Verfahren zum Darstellen der Innenfläche eines Hohlorgans,” German Patent DE102 008 017 501A1, Oct 08.10.2009, 2009.
- [3] T. Aach and T. Stehle, “Verfahren und Endoskop zur Verbesserung von Endoskopbildern,” Patent Specification, WO002009149912A1, 10.06.2009.
- [4] T. Aach, J. Brauers, and B. Goedderz, “Verfahren zur simulation eines erscheinungsbildes eines aus einem mehrfarbigen faden gebildeten faserproduktes sowie vorrichtung zur durchführung des verfahrens und verfahren zur herstellung eines bcf-fadens,” Patent Specification, WO002008017644A2, 03.08.2007.
- [5] —, “Verfahren zur simulation eines erscheinungsbildes eines aus einem mehrfarbigen faden gebildeten faserproduktes sowie vorrichtung zur durchführung des verfahrens und verfahren zur herstellung eines bcf-fadens,” Patent Specification, WO002008107440A1, 03.08.2007.
- [6] T. Aach, M. Bertram, G. Rose, and D. Schaefer, “Image reconstruction device and method,” Patent Specification, EP1839266, 22.11.2005.
- [7] T. Aach, A. Condurache, K. Eck, and J. Bredno, “Automatic contrast medium control in images,” Patent Specification, US20070003121, 06.01.2005.

- [8] T. Aach, K. Eck, S. Mollus, and I. Stuke, "Method of determining an image from an image sequence," Patent Specification, EP1500047, 01.04.2003.
- [9] —, "Method of determining an image from an image sequence," Patent Specification, US20050207538, 01.04.2003.
- [10] T. Aach, P. Rongen, G. Schmitz, and H. Stegehuis, "Apparatus and method for processing of digital images," Patent Specification, EP20020017911, 09.08.2002.
- [11] —, "Apparatus and method for processing of digital images," Patent Specification, US20030053600, 09.08.2002.
- [12] T. Aach, T. Buzug, I. Maack, T. Pralow, A. Springub, and M. Stahl, "Processing method for an original image," Patent Specification, US6252931, 22.10.1999.
- [13] —, "Verfahren zur Verarbeitung eines Eingangsbildes," Patent Specification, EP0996090A2, 15.10.1999.
- [14] T. Aach and D. Kunz, "X-ray examination apparatus with dose control," Patent Specification, EP1046134, 22.09.1999.
- [15] —, "X-ray examination apparatus with dose control," Patent Specification, WO00/23945, 22.09.1999.
- [16] T. Aach, T. Buzug, I. Maack, T. Pralow, A. Springub, and M. Stahl, "Verfahren zur Verarbeitung eines Eingangsbildes," Patent Specification, DE19849090, 24.10.1998.
- [17] T. Aach and D. Kunz, "X-ray examination apparatus with dose control," Patent Specification, EP98203515.6, 19.10.1998.
- [18] T. Aach, D. Koch, and D. Kunz, "Noise reduction in an image," Patent Specification, US6173084B1, 03.06.1998.
- [19] —, "Noise reduction in an image," Patent Specification, WO98/55916, 02.06.1998.
- [20] T. Aach, D. Kunz, and S. Ludeke, "Image processing for noise reduction," Patent Specification, US5708693, 13.01.1998.
- [21] T. Aach and R. Mester, "Method for change detection in moving images," Patent Specification, US5654772, 05.08.1997.
- [22] T. Aach, D. Koch, and D. Kunz, "Noise reduction in an image," Patent Specification, EP97201718.0, 06.06.1997.
- [23] T. Aach, M. Fuderer, and D. Kunz, "Directional adaptive noise reduction," Patent Specification, US6049623, 20.12.1996.
- [24] T. Aach and D. Kunz, "Noise reduction in an image," Patent Specification, US5825846, 20.12.1996.
- [25] —, "Noise reduction in an image," Patent Specification, WO97/23993, 18.12.1996.
- [26] T. Aach, M. Fuderer, and D. Kunz, "Directional adaptive noise reduction," Patent Specification, WO97/23844, 13.12.1996.
- [27] T. Aach, D. Kunz, and S. Ludeke, "Image processing for noise reduction," Patent Specification, WO97/01153, 31.05.1996.

- [28] T. Aach and D. Kunz, “Noise reduction in an image,” Patent Specification, EP95203590.5, 21.12.1995.
- [29] T. Aach, D. Kunz, and S. Ludeke, “Image processing for noise reduction,” Patent Specification, EP95201718.4, 23.06.1995.
- [30] T. Aach and R. Mester, “Verfahren zur Detektion von Änderungen in Bewegtbildern,” Patent Specification, EP0645037B1, 07.04.1994.
- [31] —, “Verfahren zur Detektion von Änderungen in Bewegtbildern,” Patent Specification, DE4311972, 10.04.1993.